

FAB32RPB3UK



Product Family Refrigerator Installation Free standing **Bottom Mount** Category

Sistema Total No - Frost Total

Cooling type Total No Frost - Double Cooling

Defrost Automatic Hinge type Standard Hinge position Right

EAN code 8017709262501



Aesthetics

Side material **Aesthetic** 50's Style Colour Pastel blue Side colour Design Rounded Logo **Finishing** Glossy Door shelves profile color Material Heat-moulded

Drawers profile color Handle External Color of glass shelf Fixed Handle type profile Handle colour

Chrome Display

Logo colour Chrome Display porition

Alternative colours

White, Black, Cream, Pink, available Red, Pastel green

Steel

Pastel blue

Applied

Chrome

Chrome

Chrome

7 segments

Refrigerator compartment features





Crisper Cover

No. of adjustable 2 Glass Type of shelves crisper/vegetable

drawers cover Number of fruit and vegetables drawers Life Plus zone-0°C -2°C +3 °C

Type of adjustable Glass Internal light in fridge Yes shelves Type of internal light **LED**

Standard Type of (fridge)

crisper/vegetable drawers cover

Yes

SMEG SPA 10/12/2025



Refrigerator Inner Door

No. of door shelves with 1

transparent cover

Number of adjustable 2

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves 1
Bottle shelves with wire Yes

support

Other Refrigerator features





Accessories

MultiFlow Yes

Fan

Yes

Freezer compartment features

Number of drawers 3

No. of compartments

with flap

Type of shelves

Plastic

Other Freezer features

*

Accessories 1 ice box

Fast freezing compartment

Yes

Other technical features









Functions display Holiday, Fast freezing, Fast cooling, ECO, Temperature

alarm Yes

Yes

Yes

Fast freezing button

Water network connection

Power on lamp
Temperature alarm lamp

Door open alarm Acoustic and visual

Temperature Alarm Yes

Type of temperature control Electronic

No. of compressors

Refrigerant gas type

Type of compressor

Refrigerant Quantity (g)

Refrigerant Quantity (g)

Refrigerant Quantity (g)

Foam agent Cyclopentane

SMEG SPA 10/12/2025



Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions

37 dB(A) re 1 pW

Climate class

SN, N, ST, T

Electrical Connection

Electrical connection

127 W

rating

Current

0,8 A

220-240 V Voltage (V)

Frequency (Hz) Power supply cable

length

Plug

50/60 Hz 200 cm

(G) UK e Singapore

Logistic Information

Width Depth without handle

Height

601 mm 728 mm 1955 mm Product width with maximum doors opening

Product depth with


handle


Product depth with doors open at 90°

926 mm

768 mm

1197 mm





SMEG SPA 10/12/2025



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.

SMEG SPA 10/12/2025