

FAB32ULCR3





Product Family
Installation
Category
Bottom Mount
Cooling type
Defrost
Hinge position
Refrigerator
Bree standing
Rottom Mount
Automatic
Left

EAN code 8017709271961



Yes, with electronic control

Aesthetics

Aesthetic50's StyleLogoAppliedColourCreamDoor shelves profileChromeEinishingColorColor

Finishing Glossy color

Handle colour Chrome Drawers profile color Chrome

Side material Steel Color of glass shelf Chrome

profile

Side colour Cream

Display 7 segments

Display porition Interno (sul Top)

Refrigerator compartment features





drawers cover

Number of 2 Crisper Cover Yes compartments Type of Glass

No. of adjustable 2 crisper/vegetable shelves drawers cover

Number of fruit and 1 Life Plus zone-0°C

vegetables drawers Internal light in fridge Yes
Type of adjustable Glass Type of internal light LED

shelves (fridge)

Type of Standard crisper/vegetable

Refrigerator Inner Door

No. of door shelves with 1 No. of bottle shelves 1 transparent cover



Bottle shelves with wire Yes support

Number of adjustable 2 door shelves

Adjustable door shelves Yes with wire support

Other Refrigerator features

Accessories Egg tray MultiFlow Yes

Fan Yes

Freezer compartment features

Number of drawers 2 No. of compartments 1

with flap

Type of shelves Glass

Other Freezer features

*\

Fast freezing Accessories 1 ice box

compartment

Yes

Other technical features











Functions display Holiday, Fast freezing, Fast cooling, ECO, Temperature

alarm

Fast freezing button Yes Power on lamp Yes Temperature alarm lamp Yes

Door open alarm Acoustic and visual

Temperature Alarm Yes Type of temperature control Electronic No. of compressors 1 Refrigerant gas type R600a Type of compressor Inverter Refrigerant Quantity (gr) 2.1 oz

Cyclopentane Foam agent

Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions

37 dB(A) re 1 pW

Gross volume frozen food compartment

3.99 cu. ft.



Electrical Connection

Electrical connection 127 W

rating

Current 1,2 A Voltage (V) 115 V Frequency (Hz)
Power supply cable

length

Plug

50/60 Hz

70 7/8 "

(B) NEMA 5-15P

Logistic Information

 Width
 23 11/16 "

 Depth without handle
 28 11/16 "

 Height
 77 1/2 "

Product width with 36 7/16 " maximum doors opening


Product depth with


handle

Product depth with doors open at 90°

30 1/4 "

47 1/8 "





926 325



Alternative products



FAB32ULRD3

Hinge position: Left

Red



FAB32ULWH3

Hinge position: Left

White



FAB32ULBL3

Hinge position: Left

Black



FAB32ULOR3

Hinge position: Left

Orange



FAB32ULPK3

Hinge position: Left

Pink



FAB32ULPB3

Hinge position: Left

Pastel blue



FAB32ULPG3

Hinge position: Left

Pastel green



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Air plus: keeps food fresher for longer.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.