FAB32ULPB3



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Cooling type	No Frost
Defrost	Automatic
Hinge position	Left
EAN code	8017709272005

Aesthetics

Aesthetic	50's Style
Colour	Pastel blue
Finishing	Glossy
Handle colour	Chrome
Side material	Steel
Side colour	Pastel blue

Logo	Applied
Door shelves profile color	Chrome
Drawers profile color	Chrome
Color of glass shelf profile	Chrome
Display	7 segments
Display porition	

Refrigerator compartment features

Number of compartments	2
Compartment types	Fruit and vegetable compartment, Life Plus Compartment
No. of adjustable shelves	3
Number of fruit and vegetables drawers	1
Shelves material	Glass
Type of crisper/vegetable drawers cover	Standard

Crisper Cover	Yes
Type of crisper/vegetable drawers cover	Glass
Life Plus zone-0°C	Yes
Internal light in fridge	Yes
Type of internal light (fridge)	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	2	**Bottle shelves with wire support**	Yes
Adjustable door shelves with wire support	Yes		

Other Refrigerator features



Accessories	Egg tray	**Fan**	Yes
MultiFlow	Yes		

Freezer compartment features

Number of drawers	2	**Type of shelves**	Plastic
No. of compartments with flap	1		

Other Freezer features



Accessories	1 ice box	**Fast freezing compartment**	Yes

Other technical features



Functions display	Holiday, Fast freezing, Fast cooling, ECO, Temperature alarm
Fast freezing button	Yes
Water network connection	
Power on lamp	Yes
Temperature alarm lamp	Yes
Door open alarm	Acoustic and visual
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
No. of evaporators	2
Refrigerant Quantity (gr)	2.1 oz
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions	37 dB(A) re 1 pW	**Gross volume frozen food compartment**	4.0 cu. ft.

Electrical Connection

Electrical connection rating	127 W	**Frequency (Hz)**	50/60 Hz
Current	1,2 A	**Power supply cable length**	70 7/8 "
Voltage (V)	115 V	**Plug**	(B) NEMA 5-15P

Logistic Information

Width	23 11/16 "	**Product width with maximum doors opening**	36 7/16 "
Depth without handle	28 11/16 "	**Product depth with handle**	30 1/4 "
Height	77 1/2 "	**Product depth with doors open at 90°**	47 1/8 "



Alternative products



FAB32ULCR3

Hinge position: Left
Cream



FAB32ULRD3

Hinge position: Left
Red



FAB32ULPK3

Hinge position: Left
Pink



FAB32ULWH3

Hinge position: Left
White



FAB32ULBL3

Hinge position: Left
Black



FAB32ULPG3

Hinge position: Left
Pastel green



FAB32ULOR3

Hinge position: Left
Orange

Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Air plus: keeps food fresher for longer.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.