FAB38LCR6



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	60 - 70 cm
Reference height	Higher than 200 cm
Sistema Total No - Frost	Total
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Standard
Hinge position	Left
EAN code	8017709348595

Aesthetics

Aesthetic	50's Style	**Side material**	Steel
Colour	Cream	**Side colour**	Cream
Design	Rounded	**Logo**	Applied
Finishing	Glossy	**Door shelves profile color**	Silver
Material	Heat-moulded	**Drawers profile color**	Silver
Handle	External	**Color of glass shelf profile**	Silver
Handle type	Fixed	**Display**	LED
Handle colour	Chrome	**Display position**	Interno (cella frigo)
Logo colour	Chrome		

Refrigerator compartment features

Number of compartments	2	**Crisper Cover**	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	3	**No. of lights refrigerator compartment**	2
Number of fruit and vegetables drawers	1	**Low temperature compartment**	Yes
Shelves material	Glass	**Internal light in fridge**	Yes
		Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover	On sliding rails

Refrigerator Inner Door

Number of adjustable door shelves	3	**No. of bottle shelves**	1

Other Refrigerator features



Humidity Control	Yes, manual	**Fan**	Yes
MultiFlow	Yes		

Freezer compartment features

Number of drawers	2	**No. of compartments with flap**	1
No. of shelves	2	**Type of shelves**	Glass

Other Freezer features



Ice maker	Manual	**Fast freezing compartment**	Yes

Other technical features



Functions display	Fast freezing, Temperature alarm
Fast freezing button	Yes
Temperature alarm lamp	Yes
Door open alarm	Acoustic and visual
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (g)	62 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	230 kWh/a	**Airborne acoustical noise emissions**	37 dB(A) re 1 pW
Energy efficiency class	D	**Temperature Rise Time**	14 h
Airborne acoustical noise emission class	C	**4 star - Freezing capacity**	8 kg/24h
Total net volume	481 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	137 l	**EEI**	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	344 l		

Electrical Connection

Electrical connection rating	127 W	**Frequency (Hz)**	50/60 Hz
Current	1,1 A	**Power supply cable length**	180 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	706 mm	**Product depth with handle**	811 mm
Depth without handle	771 mm	**Product depth with doors open at 90°**	1340 mm
Height	2050 mm	**Spacer depth**	32 mm
Product width with maximum doors opening	1070 mm		



Alternative products



FAB38LBL6

Hinge position: Left
Black

Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class D



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.