

FAB38URWH



Product family	Refrigerator
Installation	Freestanding
Category	Bottom mount
No-frost system	Total
Cooling type	Total no-frost - Dual-flow cooling system
Defrost	Automatic
Hinge	Standard
Hinge position	Right
EAN code	8017709291440



Aesthetic



Aesthetics	Retro-Style	Logo	Applied
Color	White	Door shelf profile color	Silver
Design	Rounded	Drawers profile color	Silver
Finishing	Glossy	Glass shelf profile color	Silver
Handle color	Chromed	Display	LED
Logo color	Chromed	Display position	Internal
Side material	Steel	Available colors	Pastel Blue, White, Black, Cream, Red, Pastel green
Side color	White		

Refrigerator compartment features




Number of compartments	2	Crisper cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper cover	Glass
No. of adjustable shelves	3	No. of lights	2
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Refrigerator lighting	Yes
		Refrigerator lighting	LED
Crisper drawer type	Sliding crisper		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features

			
Humidity Control	Yes	Fan	Yes
MultiFlow	Yes	Anti-odour filter	

Freezer features

Number of drawers	2	No. of compartments with flap	1
No. of shelves	2	Shelf type	Glass

Other Freezer features

			
Ice maker	Manual	Fast-freezing compartment	Yes

Other technical features

			
Display functions	Fast-freezing, ECO, Temperature alarm		
Fast-freezing button	Yes		
Temperature alarm	Yes		
Door open alarm	Acoustic and visual		
Temperature Alarm	Yes		
Temperature setting type	Electronic		
No. of compressors	1		
Refrigerant gas type	R600a		
Compressor type	Inverter		
No. of evaporators	2		
Refrigerant quantity	1.5 oz		
Foam agent	Cyclopentane		

Performance / Energy Label


Noise level	42 dB(A) re 1 pW	Climatic class	SN, N, ST, T
-------------	------------------	----------------	--------------

Electrical Connection

Current	2,3 A	Power cord length	70 7/8 "
Voltage (V)	120 V	Plug	(B) NEMA 5-15P
Frequency (Hz)	60 Hz		

Logistic Information

Width	27 13/16 "	Product depth (handle included)	31 15/16 "
Depth without handle	30 3/8 "	Depth with door open at 90°	52 3/4 "
Height	80 11/16 "	Spacer depth	1 1/4 "
Width with doors open at 90°	42 1/8 "		



Alternative products



FAB38URPG

Hinge position: Right
Pastel green



FAB38URCR

Hinge position: Right
Cream



FAB38URPB

Hinge position: Right
Pastel Blue



FAB38URBL











Hinge position: Right
Black



FAB38URRD

Hinge position: Right
Red

Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.		Air plus: keeps food fresher for longer.