

# FAB5RBL6



|                  |               |
|------------------|---------------|
| Product Family   | Refrigerator  |
| Installation     | Free standing |
| Category         | One Door      |
| Reference width  | Until 60 cm   |
| Reference height | Until 100 cm  |
| Cooling type     | Static        |
| Defrost          | Automatic     |
| Hinge type       | Standard      |
| Hinge position   | Right         |
| EAN code         | 8017709349844 |



## Aesthetics

|               |              |                              |         |
|---------------|--------------|------------------------------|---------|
| Aesthetic     | 50's Style   | Logo colour                  | Chrome  |
| Colour        | Black        | Side material                | Steel   |
| Design        | Rounded      | Side colour                  | Black   |
| Finishing     | Glossy       | Logo                         | Applied |
| Material      | Heat-moulded | Door shelves profile color   | Chrome  |
| Handle        | External     | Drawers profile color        | Chrome  |
| Handle type   | Fixed        | Color of glass shelf profile | Chrome  |
| Handle colour | Chrome       |                              |         |

## Refrigerator compartment features



|  |       |                                 |     |
|--|-------|---------------------------------|-----|
| No. of adjustable shelves              | 2     | Internal light in fridge        | Yes |
| Shelves material                       | Glass | Type of internal light (fridge) | LED |
| No. of lights refrigerator compartment | 1     |                                 |     |

## Refrigerator Inner Door

|   |     |                                  |     |
|---|-----|----------------------------------|-----|
| Number of adjustable door shelves         | 1   | No. of bottle shelves            | 1   |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

## Other technical features

|                             |              |
|-----------------------------|--------------|
| Type of temperature control | Electronic   |
| Refrigerant gas type        | R600a        |
| Type of compressor          | Standard     |
| Refrigerant Quantity (g)    | 19 g         |
| Foam agent                  | Cyclopentane |

## Performance / Energy Label - Reg. 2019


|  |          |  |                  |
|--|----------|--|------------------|
|  |          |  |                  |
| Annual energy consumption  | 49 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l             |
| Energy efficiency class  | C        | Airborne acoustical noise emissions  | 36 dB(A) re 1 pW |
| Airborne acoustical noise emission class   | C        | Climate class  | SN, N, ST, T     |
| Total net volume   | 34 l     | EEl  | 63 %             |

## Electrical Connection

|                              |           |                           |              |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 60 W      | Frequency (Hz)            | 50 Hz        |
| Current                      | 0.3 A     | Power supply cable length | 100 cm       |
| Voltage (V)                  | 220-240 V | Plug                      | (F;E) Schuko |

## Logistic Information

|  |        |                                      |        |
|--|--------|--------------------------------------|--------|
| Width                                    | 404 mm | Product depth with handle            | 570 mm |
| Depth without handle                     | 500 mm | Product depth with doors open at 90° | 800 mm |
| Height                                   | 725 mm | Spacer depth                         | 30 mm  |
| Product width with maximum doors opening | 707 mm |                                      |        |



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

## Alternative products



**FAB5RWH6**

**Hinge position:** Right  
White



**FAB5RDUJ6**

**Hinge position:** Right  
Decorated / Special



**FAB5RCR6**

**Hinge position:** Right  
Cream



**FAB5RPK6**

**Hinge position:** Right  
Pink



**FAB5RDGME6**

**Hinge position:** Right  
Decorated / Special



**FAB5ROR6**

**Hinge position:** Right  
Orange



**FAB5RRD6**

**Hinge position:** Right  
Red



**FAB5RDGC6**

**Hinge position:** Right  
Decorated / Special



**FAB5RSV6**

**Hinge position:** Right  
Silver



**FAB5RPG6**

**Hinge position:** Right  
Pastel green



**FAB5RPB6**

**Hinge position:** Right  
Pastel blue



**FAB5LCR6**

**Hinge position:** Left  
Cream





**FAB5RDAPO6**

**Hinge position:**  
Decorated / Special

---

## Symbols glossary

---

-  A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.
-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Energy efficiency class C