

FAB5RDAPO6



| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | Until 100 cm |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Standard |
| EAN code | 8017709357207 |

Aesthetics

| | | | |
|-----------------------------|--------------------------------|------------------------------|---------------------|
| Aesthetic Colour | 50's Style Decorated / Special | Handle colour | Chrome |
| Decoration / Special colour | Arancione Aperol | Logo colour | Chrome |
| Design | Rounded | Side material | Steel |
| Finishing | Glossy | Side colour | Decorated / Special |
| Material | Heat-moulded | Logo | Applied |
| Collaborations | Smeg & Aperol | Door shelves profile color | Chrome |
| Handle | External | Drawers profile color | Chrome |
| Handle type | Fixed | Color of glass shelf profile | Chrome |

Refrigerator compartment features



| | | | |
|--|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Shelves material | Glass | Type of internal light (fridge) | LED |
| No. of lights refrigerator compartment | 1 | | |


Refrigerator Inner Door

| | | | |
|---|-----|----------------------------------|-----|
| Number of adjustable door shelves | 1 | No. of bottle shelves | 1 |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

Other technical features

| | |
|-----------------------------|--------------|
| Type of temperature control | Electronic |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 19 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019

| | | | |
|--|----------|--|------------------|
|  | | | |
| Annual energy consumption | 49 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l |
| Energy efficiency class | C | Airborne acoustical noise emissions | 36 dB(A) re 1 pW |
| Airborne acoustical noise emission class | C | Climate class | SN, N, ST, T |
| Total net volume | 34 l | EEl | 63 % |

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 60 W | Frequency (Hz) | 50 Hz |
| Current | 0,3 A | Power supply cable length | 100 cm |
| Voltage (V) | 220-240 V | Plug | (F;E) Schuko |

Logistic Information

| | | | |
|--|--------|--------------------------------------|--------|
| Width | 404 mm | Product depth with handle | 570 mm |
| Depth without handle | 500 mm | Product depth with doors open at 90° | 800 mm |
| Height | 725 mm | Spacer depth | 30 mm |
| Product width with maximum doors opening | 707 mm | | |

Alternative products



FAB5RWH6
White



FAB5RDGC6
Decorated / Special



FAB5RDUJ6
Decorated / Special



FAB5RSV6
Silver



FAB5RCR6
Cream



FAB5RPG6
Pastel green



FAB5RPK6
Pink



FAB5RPB6
Pastel blue



FAB5RDGME6
Decorated / Special



FAB5RBL6
Black



FAB5LCR6
Cream



FAB5ROR6
Orange



FAB5RRD6
Red

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Energy efficiency class C