


FAB5RDGC6



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
EAN code	8017709349882



Aesthetics

Aesthetic	50's Style	Handle type	Fixed
Colour	Decorated / Special	Handle colour	Chrome
Decoration / Special colour	Sicilian cart	Logo colour	Chrome
Design	Rounded	Side material	Steel
Finishing	Glossy	Side colour	Blue
Series	Divina Cucina	Logo	Applied
Material	Heat-moulded	Door shelves profile color	Chrome
Collaborations	Smeg & Dolce&Gabbana	Drawers profile color	Chrome
Handle	External	Color of glass shelf profile	Chrome

Refrigerator compartment features



No. of adjustable shelves	2	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
No. of lights refrigerator compartment	1		

Refrigerator Inner Door

Number of adjustable door shelves	1	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Adjustable door shelves Yes
with wire support

Bottle shelves with wire Yes
support

Other technical features

Type of temperature control	Electronic
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	19 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

	C
Annual energy consumption	49 kWh/a
Energy efficiency class	C
Airborne acoustical noise emission class	C
Total net volume	34 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	
Airborne acoustical noise emissions	
Climate class	
EEI	
	34 l
	36 dB(A) re 1 pW
	SN, N, ST, T
	63 %

Electrical Connection

Electrical connection rating	60 W	Frequency (Hz)	50 Hz
Current	0,3 A	Power supply cable length	100 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width	404 mm	Product depth with handle	570 mm
Depth without handle	500 mm	Product depth with doors open at 90°	800 mm
Height	725 mm	Spacer depth	30 mm
Product width with maximum doors opening	707 mm		



Compatible Accessories

KITCABLE90UK

Cable with IEC connector and UK plug

Alternative products

**FAB5RWH6****Hinge position:** Right
White**FAB5RDUJ6****Hinge position:** Right
Decorated / Special**FAB5RSV6****Hinge position:** Right
Silver**FAB5RPG6****Hinge position:** Right
Pastel green**FAB5RPB6****Hinge position:** Right
Pastel blue**FAB5RBL6****Hinge position:** Right
Black**FAB5ROR6****Hinge position:** Right
Orange**FAB5RRD6****Hinge position:** Right
Red**FAB5RDCCRD6****Hinge position:** Red**FAB5RDCCBL6****Hinge position:** Right
Black**FAB5RCR6****Hinge position:** Right
Cream**FAB5RPK6****Hinge position:** Right
Pink**FAB5RDGME6****Hinge position:** Right
Decorated / Special**FAB5LCR6****Hinge position:** Left
Cream**FAB5RDAPO6****Hinge position:**
Decorated / Special

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Energy efficiency class C