

FAB5RDGME6



Product Family Refrigerator Installation Free standing One Door Category Reference width Until 60 cm Until 100 cm Reference height Static Cooling type **Defrost Automatic** Hinge type Standard Kitchen panel Not supplied

Hinge position Right

EAN code 8017709349875



Aesthetics

Aesthetic 50's Style

Colour Decorated / Special **Decoration / Special** Blu Mediterraneo

colour

Design Rounded Finishing Glossy

Series Blu Mediterraneo Material Heat-moulded

Smeg & Dolce&Gabbana Collaborations

Handle External Handle type Fixed Handle colour Chrome Logo colour Chrome Side material Steel Side colour Blue Logo **Applied** Door shelves profile Chrome

color

Drawers profile color Color of glass shelf

profile

Chrome Chrome

Yes

LED

Refrigerator compartment features



No. of adjustable 2

shelves

Type of adjustable

shelves

Glass

No. of lights refrigerator 1 compartment

Internal light in fridge Type of internal light

(fridge)

Refrigerator Inner Door

Number of adjustable door shelves

1

No. of bottle shelves

1



Adjustable door shelves Yes with wire support

Bottle shelves with wire Yes support

Other technical features

Type of temperature control Electronic
Refrigerant gas type R600a
Type of compressor Standard
Refrigerant Quantity (g) 19 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

C A

Annual energy 49 kWh/a Sum of the volumes of 34 l consumption the chill compartment(s)

consumption the chill compartment(s)

Energy efficiency class C and the unfrozen

compartment(s)

noise emission class Airborne acoustical 36 dB(A) re 1 pW

noise emission class

Total net volume

341

Airborne acoustical noise emissions

Climate class SN, N, ST, T
EEI 63 %

Electrical Connection

Electrical connection 60 W Frequency (Hz) 50 Hz

rating Power supply cable 100 cm Current 0.3 A length

Voltage (V) 220-240 V Plug (F;E) Schuko

Logistic Information

Width 404 mm Product depth with 570 mm handle

Depth without handle 500 mm handle
Height 725 mm Product width with 707 mm handle

One handle Product depth with 800 mm doors open at 90°

maximum doors opening Spacer depth 30 mm



Compatible Accessories

KITCABLE90UK

Cable with IEC connector and UK plug



Alternative products



FAB5RWH6

Hinge position: Right White



FAB5RDGC6

Hinge position: Right Decorated / Special



FAB5RDCCBL6

Hinge position: Right

Black



FAB5RCR6

Hinge position: Right

Cream



FAB5RPK6

Hinge position: Right

Pink



FAB5RBL6

Hinge position: Right

Black



FAB5ROR6

Hinge position: Right

Orange



FAB5RRD6

Hinge position: Right

Red



FAB5RDCCRD6

Hinge position:

Red



FAB5RDUJ6

Hinge position: Right Decorated / Special



FAB5RSV6

Hinge position: Right

Silver



FAB5RPG6

Hinge position: Right

Pastel green



FAB5RPB6

Hinge position: Right

Pastel blue



FAB5LCR6

Hinge position: Left

Cream



Hinge position:

Decorated / Special



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.