

# FAB5RDUJ6



**Product Family** Refrigerator Installation Free Standing One Door Category Reference width Until 60 cm Until 100 cm Reference height Cooling type Static **Defrost Automatic** Standard Hinge type Hinge position Right

EAN code 8017709349899



#### **Aesthetics**

**Aesthetics** 50's Style

Decorated / Special Colour Union Jack

**Decoration / Special** 

colour

Design Rounded **Finishing** Gloss

Heat-moulded Material

Handle External Handle type Fixed

Handle colour Chrome Logo colour Chrome Side material Steel Side colour Blue

Applied Logo Chrome Door shelves profile

colour

Drawers profile colour Colour of glass shelf

profile

Chrome Chrome

### Refrigerator compartment features



No. of adjustable

shelves

Type of adjustable

shelves

No. of lights

Glass

Internal light in fridge Type of internal light

(fridge)

Yes **LED** 

### Refrigerator Inner Door

Number of adjustable

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves Bottle shelves with wire Yes

support



### Other technical features

Type of temperature control Refrigerant gas type Type of compressor Refrigerant Quantity (g)

Foam agent

Electronic R600a Standard 19 q

Cyclopentane

### Performance / Energy Label

C A

Annual energy consumption

**Energy efficiency class** Airborne acoustical

noise emission class

Total volume

49 kWh/year

C

34 I

Sum of the volumes of the chill compartment(s)

and the unfrozen compartment(s)

Noise level

Climatic class

EEI 63 %

### **Electrical Connection**

Nominal power 60 W 0.3 A Current Voltage (V) 220-240 V

Frequency (Hz) Power supply cable

length

Plug

50 Hz 100 cm

34 I

(F;E) Schuko

36 dB(A) re 1 pW

SN, N, ST, T

## **Logistic Information**

Width (mm) 404 mm Depth without handle 500 mm Product Height with feet 725 mm Product width with 707 mm maximum doors opening

Product depth with handle

Product depth with doors open at 90°


Spacer depth

800 mm

570 mm

30 mm







# **Compatible Accessories**

KITCABLE90UK

Cable with IEC connector and UK plug



## Alternative products



#### FAB5RWH6

**Hinge position:** Right White



#### FAB5RDGC6

Hinge position: Right Decorated / Special



#### FAB5RSV6

**Hinge position:** Right Silver



#### FAB5RPG6

**Hinge position:** Right Pastel Green



#### FAB5RPB6

Hinge position: Right





#### FAB5RBL6

Hinge position: Right

Black



#### FAB5ROR6

Hinge position: Right

Orange



#### FAB5RRD6

Hinge position: Right

Red



#### FAB5RDCCRD6

Hinge position:

Red



#### FAB5RDCCBL6

Hinge position: Right

Black



#### FAB5RCR6

Hinge position: Right

Cream



#### FAB5RPK6

Hinge position: Right

Pink



#### **FAB5RDGME6**

Hinge position: Right

Decorated / Special



#### FAB5LCR6

Hinge position: Left

Cream



Hinge position: Decorated / Special



# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.