

FAB5RPG5



Product Family Refrigerator Installation Free Standing One Door Category Reference width Until 60 Until 100 Reference height Cooling type Static **Defrost Automatic** Standard Hinge type Hinge position Right

EAN code 8017709299590



Chrome

Aesthetics

Aesthetics 50's Style Logo colour Chrome Colour Pastel Green Side material Steel Side colour **Finishing** Gloss Pastel green Design Rounded Logo Applied

MaterialHeat-mouldedDoor shelves profileHandleExternalcolour

Handle type Fixed Drawers profile colour Chrome
Handle colour Chrome Colour of glass shelf Chrome profile

Refrigerator compartment features



No. of adjustable 2 Internal light in fridge Yes shelves Type of internal light LED

Type of adjustable Glass (fridge)

shelves

Refrigerator Inner Door

Number of adjustable 1 No. of bottle shelves 1 door shelves Bottle shelves with wire Yes

Adjustable door shelves Yes support

Other technical features

with wire support



Type of temperature control Refrigerant gas type Type of compressor Refrigerant Quantity (gr) Foam agent Electronic R600a Standard 19 g Cyclopentane

Performance / Energy Label NEW



Annual energy consumption

Energy efficiency class D
Airborne acoustical C
noise emission class

Total volume 34 I

the chill compartment(s)
and the unfrozen
compartment(s)
Noise level 40 dB(A) re 1pW
Climatic class SN, N, ST, T
EEI 79 %

34 I

220-240 V


50/60 Hz

100 cm

Sum of the volumes of

Electrical Connection

Plug (F;E) Schuko Voltage (V)
Nominal power 60 W Frequency (Hz)
Current 0,3 A Power supply cable length







Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class D



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.