

# FAB5RRD5



|                  |               |
|------------------|---------------|
| Product Family   | Refrigerator  |
| Installation     | Free Standing |
| Category         | One Door      |
| Reference width  | Until 60 cm   |
| Reference height | Until 100 cm  |
| Cooling type     | Static        |
| Defrost          | Automatic     |
| Hinge type       | Standard      |
| Hinge position   | Right         |
| EAN code         | 8017709299613 |



## Aesthetics

|               |              |                               |         |
|---------------|--------------|-------------------------------|---------|
| Aesthetics    | 50's Style   | Logo colour                   | Chrome  |
| Colour        | Red          | Side material                 | Steel   |
| Design        | Rounded      | Side colour                   | Red     |
| Finishing     | Gloss        | Logo                          | Applied |
| Material      | Heat-moulded | Door shelves profile colour   | Chrome  |
| Handle        | External     | Drawers profile colour        | Chrome  |
| Handle type   | Fixed        | Colour of glass shelf profile | Chrome  |
| Handle colour | Chrome       |                               |         |

## Refrigerator compartment features



|                           |       |                                 |     |
|---------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves | 2     | Internal light in fridge        | Yes |
| Shelves material          | Glass | Type of internal light (fridge) | LED |


## Refrigerator Inner Door

|                                           |     |                                  |     |
|-------------------------------------------|-----|----------------------------------|-----|
| Number of adjustable door shelves         | 1   | No. of bottle shelves            | 1   |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

## Other technical features

|                             |              |
|-----------------------------|--------------|
| Type of temperature control | Electronic   |
| Refrigerant gas type        | R600a        |
| Type of compressor          | Standard     |
| Refrigerant Quantity (g)    | 19 g         |
| Foam agent                  | Cyclopentane |

## Performance / Energy Label


|                                                                                  |             |                                                                                |                  |
|----------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------|------------------|
|  |             |                                                                                |                  |
| Annual energy consumption                                                        | 61 kWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l             |
| Energy efficiency class                                                          | D           | Noise level                                                                    | 40 dB(A) re 1 pW |
| Airborne acoustical noise emission class                                         | C           | Climatic class                                                                 | SN, N, ST, T     |
| Total volume                                                                     | 34 l        | EI                                                                             | 79 %             |

## Electrical Connection

|               |           |                           |              |
|---------------|-----------|---------------------------|--------------|
| Nominal power | 60 W      | Frequency (Hz)            | 50/60 Hz     |
| Current       | 0,3 A     | Power supply cable length | 100 cm       |
| Voltage (V)   | 220-240 V | Plug                      | (F;E) Schuko |

## Logistic Information

|                                          |        |                                      |        |
|------------------------------------------|--------|--------------------------------------|--------|
| Width (mm)                               | 404 mm | Product depth with handle            | 570 mm |
| Depth without handle                     | 500 mm | Product depth with doors open at 90° | 800 mm |
| Product Height with feet                 | 725 mm | Spacer depth                         | 30 mm  |
| Product width with maximum doors opening | 707 mm |                                      |        |



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

---

## Alternative products

---



**FAB5RPB5**

**Hinge position:** Right  
Pastel Blue



**FAB5RCR5**

**Hinge position:** Right  
Cream



**FAB5RWH5**

**Hinge position:** Right  
White



**FAB5RDUJ5**

**Hinge position:** Right  
Decorated / Special



**FAB5RSV5**

**Hinge position:** Right  
Silver



**FAB5RPK5**

**Hinge position:** Right  
Pink



**FAB5RBL5**

**Hinge position:** Right  
Black



**FAB5RPG5**

**Hinge position:** Right  
Pastel Green



**FAB5ROR5**

**Hinge position:** Right  
Orange

---

## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class D



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.