

FAB5RWH3



| | |
|----------------|---------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709274405 |



Aesthetics

| | | | |
|---------------|--------------|-------------------------------|--|
| Aesthetic | 50's Style | Side material | Steel |
| Colour | White | Side colour | White |
| Design | Rounded | Logo | Applied |
| Finishing | Glossy | Door shelves profile color | Chrome |
| Material | Heat-moulded | Drawers profile color | Chrome |
| Handle | External | Color of glass shelf profile | Chrome |
| Handle type | Fixed | Display position | |
| Handle colour | Chrome | Alternative colours available | Orange, Pastel blue, White, Black, Cream, Pink, Red, Silver, Pastel green, Decorated / Special |
| Logo colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Shelves material | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door


| | | | |
|---|-----|----------------------------------|-----|
| Number of adjustable door shelves | 1 | No. of bottle shelves | 1 |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

Other technical features

Water network connection

| | |
|-----------------------------|--------------|
| Type of temperature control | Electronic |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 19 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019

| | | | |
|--|----------|--|------------------|
|  Annual energy consumption | 61 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l |
| Energy efficiency class | D | Airborne acoustical noise emissions | 40 dB(A) re 1 pW |
| Airborne acoustical noise emission class | C | Climate class | SN, N, ST, T |
| Total net volume | 34 l | EEL | 79 % |

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 60 W | Frequency (Hz) | 50/60 Hz |
| Current | 0.22 A | Power supply cable length | 100 cm |
| Voltage (V) | 220-240 V | Plug | (F;E) Schuko |

Logistic Information

| | | | |
|--|--------|--------------------------------------|--------|
| Width | 404 mm | Product depth with handle | 570 mm |
| Depth without handle | 500 mm | Product depth with doors open at 90° | 800 mm |
| Height | 725 mm | Spacer depth | 30 mm |
| Product width with maximum doors opening | 707 mm | | |







Compatible Accessories

KITCABLE90UK

Cable with IEC connector and UK plug

Symbols glossary

- | | | | |
|--|---|---|---|
|  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Energy efficiency class D |