

# FAB5RWH6



**Product Family** Refrigerator Installation Free standing One Door Category Reference width Until 60 cm Until 100 cm Reference height Cooling type Static **Defrost Automatic** Standard Hinge type Hinge position Right

EAN code 8017709350031



#### **Aesthetics**

**Aesthetic** 50's Style Logo colour Chrome Colour White Side material Steel Side colour Design Rounded White **Finishing** Glossy Logo **Applied** Material Heat-moulded Door shelves profile Chrome Handle External

Drawers profile color Chrome Fixed Handle type Color of glass shelf Chrome Handle colour Chrome

profile

## Refrigerator compartment features



No. of adjustable 2 shelves

Type of adjustable Glass shelves

No. of lights refrigerator 1

compartment

Internal light in fridge Yes Type of internal light **LED** (fridge)

## **Refrigerator Inner Door**

Number of adjustable door shelves Adjustable door shelves Yes with wire support

No. of bottle shelves Bottle shelves with wire Yes support



### Other technical features

Type of temperature control Electronic
Refrigerant gas type R600a
Type of compressor Standard
Refrigerant Quantity (g) 19 g

Foam agent Cyclopentane

### Performance / Energy Label - Reg. 2019

C A

Annual energy 49 kWh/a Sum of the volumes of 34 l consumption the chill compartment(s)

Energy efficiency class C
Airborne acoustical C
noise emission class
C
and the unfrozen
compartment(s)
Airborne acoustical 36 dB(A) re 1 pW

Total net volume 34 l Climate class SN, N, ST, T

noise emissions

EEI 63 %

**Electrical Connection** 

Electrical connection 60 W Frequency (Hz) 50 Hz rating Power supply cable 100 cm

Current 0,3 A length

Voltage (V) 220-240 V Plug (F;E) Schuko

**Logistic Information** 

Product width with

Width 404 mm Product depth with 570 mm

Depth without handle 500 mm handle


Depth without handle 500 mm handle

Height 725 mm Product depth with 800 mm doors open at 90°

maximum doors opening Spacer depth 30 mm

707 mm







# **Compatible Accessories**

KITCABLE90UK

Cable with IEC connector and UK plug



## Alternative products



FAB5RDCCRD6

Hinge position: Red



FAB5RDUJ6

Hinge position: Right Decorated / Special



#### FAB5RSV6

**Hinge position:** Right Silver



#### FAB5RPG6

**Hinge position:** Right Pastel green



#### FAB5RPB6

**Hinge position:** Right Pastel blue



#### FAB5RBL6

Hinge position: Right

Black



#### FAB5RDGC6

Hinge position: Right Decorated / Special



#### FAB5RDCCBL6

Hinge position: Right

Black



#### FAB5RCR6

Hinge position: Right

Cream



#### FAB5RPK6

Hinge position: Right

Pink



#### **FAB5RDGME6**

Hinge position: Right

Decorated / Special



#### FAB5LCR6

Hinge position: Left

Cream



#### FAB5ROR6

Hinge position: Right

Orange

FAB5RDAP06

Hinge position: Decorated / Special



#### FAB5RRD6

Hinge position: Right

Red



# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.