

# FAB5ULBL3



Product Family Refrigerator
Installation Free standing

Model notes Due collegamenti presenti sul retro

del prodotto: - POWER: per

funzionamento del prodotto - SIGNAL: per attivare la funzione SMART Un cavo incluso (per collegamento

POWER)

Category One Door
Defrost Automatic
Hinge position Left

**EAN code** 8017709289751



#### **Aesthetics**

Aesthetic50's StyleSide materialSteelColourBlackSide colourBlackFinishingGlossyLogoApplied

Material Heat-moulded Alternative colours White, Black, Cream, Red

available

### Refrigerator compartment features

Glass



No. of adjustable 2

shelves

Type of adjustable

shelves

Internal light in fridge Type of internal light

(fridge)

Yes LED

### **Refrigerator Inner Door**

Number of adjustable

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves 1
Bottle shelves with wire Yes

support

### Other technical features

Type of temperature control

No. of compressors

Electro-mechanical

1



Refrigerant gas type Foam agent R600a Cyclopentane

## Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions

40 dB(A) re 1pW


Climate class


SN, N, ST, T


#### **Electrical Connection**


Plug Current Voltage (V) (A) USA e Messico 0,89 A 110 V Frequency (Hz)
Power supply cable length

60 Hz 70 7/8 "













## Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug



# Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.