

FAB5URCR3



| | |
|----------------|---------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Defrost | Automatic |
| Hinge position | Right |
| EAN code | 8017709289744 |



Aesthetics

| | | | |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style | Side material | Steel |
| Colour | Cream | Side colour | Cream |
| Finishing | Glossy | Logo | Applied |
| Material | Heat-moulded | | |

Refrigerator compartment features



| | | | |
|---------------------------|------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Shelves material | Wire | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|-------------------------------------------|-----|----------------------------------|-----|
| Number of adjustable door shelves | 1 | No. of bottle shelves | 1 |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

Other technical features

| | |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| No. of evaporators | 1 |

Foam agent

Cyclopentane

Performance / Energy Label - Reg. 2019


| | | | |
|--------------------------------------------|------------------|----------------------|--------------|
| Airborne acoustical noise emissions | 40 dB(A) re 1 pW | Climate class | SN, N, ST, T |
|--------------------------------------------|------------------|----------------------|--------------|

Electrical Connection

| | | | |
|-----------------------|--------|----------------------------------|----------------|
| Current | 0.89 A | Power supply cable length | 70 7/8 " |
| Voltage (V) | 110 V | Plug | (B) NEMA 5-15P |
| Frequency (Hz) | 60 Hz | | |

Logistic Information

| | | | |
|-----------------------------|------------|-------------------------------------------------|------------|
| Width | 15 7/8 " | Product width with maximum doors opening | 27 13/16 " |
| Depth without handle | 19 11/16 " | Product depth with handle | 22 7/16 " |
| Height | 29 1/8 " | Product depth with doors open at 90° | 31 1/2 " |



Alternative products



FAB5UROR3

Hinge position: Right
Orange



FAB5URBL3

Hinge position: Right
Black



FAB5URWH3

Hinge position: Right
White



FAB5URYW3

Hinge position: Right
Yellow



FAB5URDGME3

Hinge position: Right



FAB5URDGC3

Hinge position: Right



FAB5URPG3

Hinge position: Right
Pastel green



FAB5URDCA3

Hinge position: Right



FAB5URRD3

Hinge position: Right
Red

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A+++ : Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.