FAB5UROR3



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Defrost	Automatic
Hinge position	Right
EAN code	8017709289805

Aesthetics

Aesthetic	50's Style	**Side material**	Steel
Colour	Orange	**Side colour**	Orange
Finishing	Glossy	**Logo**	Applied
Material	Heat-moulded		

Refrigerator compartment features

No. of adjustable shelves	2	**Internal light in fridge**	Yes
Shelves material	Wire	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

Number of adjustable door shelves	1	**No. of bottle shelves**	1
Adjustable door shelves with wire support	Yes	**Bottle shelves with wire support**	Yes

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
No. of evaporators	1

Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions	40 dB(A) re 1 pW	**Climate class**	SN, N, ST, T

Electrical Connection

Current	0.89 A	**Power supply cable length**	70 7/8 "
Voltage (V)	110 V		
Frequency (Hz)	60 Hz	**Plug**	(B) NEMA 5-15P

Logistic Information

Width	15 7/8 "	**Product width with maximum doors opening**	27 13/16 "
Depth without handle	19 11/16 "	**Product depth with handle**	22 7/16 "
Height	29 1/8 "	**Product depth with doors open at 90°**	31 1/2 "



Alternative products



FAB5URDGC3

Hinge position: Right



FAB5URCR3

Hinge position: Right
Cream



FAB5URBL3

Hinge position: Right
Black



FAB5URPG3

Hinge position: Right
Pastel green



FAB5URWH3

Hinge position: Right
White



FAB5URYW3

Hinge position: Right
Yellow



FAB5URRD3

Hinge position: Right
Red



FAB5URDGME3

Hinge position: Right

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.