# FAB5URRD3




| | |
|---|---|
| **Product family** | Refrigerator |
| **Installation** | Freestanding |
| **Category** | Single door |
| **Defrost** | Automatic |
| **Hinge position** | Right |
| **Reversible door** | No |
| **EAN code** | 8017709289812 |

## Aesthetic

| | | | |
|---|---|---|---|
| **Aesthetics** | Retro-Style | **Side material** | Steel |
| **Color** | Red | **Side color** | Red |
| **Finishing** | Glossy | **Logo** | Applied |
| **Material** | Thermo-formed | | |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **No. of adjustable shelves** | 2 | **Refrigerator lighting** | Yes |
| **Shelves material** | Wire | **Refrigerator lighting** | LED |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **Number of adjustable door shelves** | 1 | **No. of bottle shelves** | 1 |
| **Adjustable door bins with wire support** | Yes | **Door bin with wire support** | Yes |

## Other technical features

| | |
|---|---|
| **Temperature setting type** | Electro-mechanical |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **No. of evaporators** | 1 |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label


| | | | |
|---|---|---|---|
| **Noise level** | 40 dB(A) re 1 pW | **Climatic class** | SN, N, ST, T |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Current** | 0,89 A | **Power cord length** | 70 7/8 " |
| **Voltage (V)** | 110 V | **Plug** | (B) NEMA 5-15P |
| **Frequency (Hz)** | 60 Hz | | |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width** | 15 7/8 " | **Width with doors open at 90°** | 27 13/16 " |
| **Depth without handle** | 19 11/16 " | **Product depth (handle included)** | 22 7/16 " |
| **Height** | 29 1/8 " | **Depth with door open at 90°** | 31 1/2 " |



## Alternative products



**FAB5UROR3**

**Hinge position:** Right
Orange



**FAB5URDGC3**

**Hinge position:** Right



**FAB5URCR3**

**Hinge position:** Right
Cream



**FAB5URBL3**

**Hinge position:** Right
Black



**FAB5URPG3**

**Hinge position:** Right
Pastel Green



**FAB5URWH3**

**Hinge position:** Right
White



**FAB5URYW3**

**Hinge position:** Right
Yellow



**FAB5URDGME3**

**Hinge position:** Right

## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.