

FC18EN4AX





Product Family Refrigerator Installation Free standing **Bottom Mount** Category Reference width Until 60 cm

Sistema Total No - Frost

Cooling type Total No Frost - Double Cooling

system

Defrost Automatic Standard Hinge type

Door opening flush with the wall Yes Slot-in Yes Hinge position Right Reversible door Yes

EAN code 8017709295752



Aesthetics





Aesthetic Universale Logo colour Silver Colour Inox Look Side material Steel Design Flat Side colour Silver **Finishing Fingerproof** Logo Applied Material Steel Effect Display LCD Touch Finger proof Display porition Door steel type Esterno (su porta) Handle Integrated Alternative colours

available

Effetto Marmo

Refrigerator compartment features



Number of 2 compartments

Low temperature Compartment types

compartment, Fruit and vegetable compartment

No. of adjustable shelves

Number of fruit and vegetables drawers

Type of adjustable Glass

shelves

Type of crisper/vegetable drawers cover

On sliding rails

Crisper Cover Type of crisper/vegetable drawers cover Low temperature

compartment Internal light in fridge Type of internal light

(fridge)

Yes

Glass

Yes

Yes **LED**

SMEG SPA 30/11/2025



Refrigerator Inner Door

Number of adjustable

door shelves

No. of bottle shelves

es 1

Other Refrigerator features

(



Humidity Control Yes
Accessories Egg tray

MultiFlow Fan Yes Yes

Freezer compartment features

Number of drawers

3

2

Other Freezer features

Accessories 2 ice boxes

Other technical features









Functions display Holiday, Fast freezing, Fast cooling, ECO, Control lock,

Cooling timer

Door open alarm Temperature Alarm

Type of temperature control

No. of compressors Refrigerant gas type

Type of compressor Refrigerant Quantity (g)

Foam agent

Yes Electronic

1

Yes

R600a Standard

47 g

Cyclopentane

Performance / Energy Label - Reg. 2019

E A

Annual energy

250 kWh/a

Airborne acoustical noise emissions

41 dB(A) re 1 pW

consumption

Energy efficiency class
Airborne acoustical

С

Temperature Rise Time 4 star - Freezing 11,83 h 8,0 kg/24h

noise emission class Total net volume

330 I 101 I capacity
Climate class

SN, T

Sum of the volumes of the frozen

compartment(s)

EEI

100 %

SMEG SPA 30/11/2025



Sum of the volumes of 230 I the chill compartment(s) and the unfrozen compartment(s)

Electrical Connection

Electrical connection

197 W

rating Current

Voltage (V)

1,1 A

220-240 V

Frequency (Hz)

Power supply cable

length

Plug

50 Hz

210 cm

(F;E) Schuko

Logistic Information

Width

595 mm

Depth without handle 650 mm Height

1860 mm

SMEG SPA 30/11/2025



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



δ

Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



LCD display: to optimize performance and simplify the use of the appliance.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.

E Ĝ

Energy efficiency class E

SMEG SPA 30/11/2025