

# FC20EN1M1



**Product Family** Refrigerator Installation Free standing **Bottom Mount** Category Reference width Until 60 160 - 200 Reference height Sistema Total No - Frost Total

Cooling type Total No Frost - Double Cooling

system

Defrost Automatic Standard Hinge type Door opening flush with the wall Yes Hinge position Right Reversible door Yes

**EAN** code 8017709333140



### **Aesthetics**



**Aesthetic** Universale Side material Steel Colour Marble look Side colour Cream Design Flat Logo **Applied** Handle Integrated

Logo colour Silver Display porition

## Refrigerator compartment features

Glass

Yes

On sliding rails





No. of adjustable 2 shelves

Number of fruit and 1

vegetables drawers

Type of adjustable

shelves Type of

crisper/vegetable drawers cover

**Crisper Cover** 

Display **LED** 

Interno (cella frigo)

Type of Glass

crisper/vegetable drawers cover

Life Plus zone-0°C Yes Internal light in fridge Yes

Type of internal light LED

(fridge)

## **Refrigerator Inner Door**

Number of adjustable door shelves

2

No. of bottle shelves

1



## Other Refrigerator features

(b)

Accessories Egg tray MultiFlow Yes

### Freezer compartment features

Number of drawers 3

### Other Freezer features

Accessories 2 ice boxes

### Other technical features

 $\mathcal{P}_{\mathbf{e}}$ 

Functions display Fast cooling, ECO, Temperature alarm

Door open alarmYesTemperature AlarmYesType of temperature controlElectronicNo. of compressors1

Refrigerant gas type R600a
Type of compressor Standard
Refrigerant Quantity (gr) 53 g

Foam agent Cyclopentane

## Performance / Energy Label - Reg. 2019

E Ĝ

Annual energy 250 kWh/a Airborne acoustical 39 dB(A) re 1 pW

consumption noise emissions

Energy efficiency class E Temperature Rise Time 10 h
Airborne acoustical C Fresh Food 266 l

noise emission class compartment - Gross

Total net volume 366 | Volume
Sum of the volumes of 101 | 4 star - Freezing

Sum of the volumes of 101 l 4 star - Freezing 8.0 Kg/24h capacity

compartment(s) Climate class SN, N, ST, T

Sum of the volumes of 266 | EEI 100 % the chill compartment(s)


### **Electrical Connection**


and the unfrozen
compartment(s)



Plug (F;E) Schuko Voltage (V) 220-240 V

Electrical connection 180 W Frequency (Hz) 50 Hz rating Power supply cable 210 cm Current 1,1 A length









## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



## Benefit (TT)

#### No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

#### Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

#### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Reversible door

Reversible door ensures flexible installation and space optimisation

#### Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

#### Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

#### Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

#### Internal display

Internal display for targeted temperature control and a clean, minimalist design