

## FC20UXDNE



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Free standing
<b>Category</b>	Bottom Mount
<b>Sistema Total No - Frost</b>	Yes
<b>Cooling type</b>	Total No Frost
<b>Defrost</b>	Automatic
<b>Hinge type</b>	Standard
<b>Slot-in</b>	Yes
<b>Kitchen panel</b>	Not supplied
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709312992



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Side colour</b>	Silver
<b>Colour</b>	Stainless steel	<b>Logo</b>	Applied
<b>Finishing</b>	Fingerproof	<b>Door shelves profile color</b>	White
<b>Material</b>	Steel Effect	<b>Color of glass shelf profile</b>	Silver
<b>Door steel type</b>	Finger proof	<b>Display</b>	LED
<b>Handle</b>	External	<b>Display position</b>	Esterno (su porta)
<b>Side material</b>	Steel		

## Refrigerator compartment features



<b>Number of compartments</b>	2	<b>Type of crisper/vegetable drawers cover</b>	On sliding rails
<b>Compartment types</b>	Low temperature compartment, Fruit and vegetable compartment	<b>Bottle shelf</b>	Yes
<b>No. of adjustable shelves</b>	3	<b>Low temperature compartment</b>	Yes
<b>Number of fruit and vegetables drawers</b>	1	<b>Type of internal light (fridge)</b>	LED
<b>Shelves material</b>	Glass		

## Refrigerator Inner Door

<b>No. of bottle shelves</b>	1
------------------------------	---

Number of adjustable door shelves 3

## Other Refrigerator features



Humidity Control Accessories

Yes  
Egg tray

**MultiFlow**

Yes

## Freezer compartment features

Number of drawers 3

## Other technical features



Functions display

Fast freezing, ECO

Temperature alarm lamp

Yes

Door open alarm

Yes

Type of temperature control

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Standard

No. of evaporators

1

Refrigerant Quantity (gr)

1.1 oz

Foam agent

Cyclopentane

## Performance / Energy Label - Reg. 2019

Total gross volume 12.5 cu. ft.

Airborne acoustical noise emissions 38 dB(A) re 1 pW

Gross volume frozen food compartment 4.2 cu. ft.

Fresh Food compartment - Gross Volume 8.3 cu. ft.

## Electrical Connection

Current 10 A

Voltage (V) 120 V

Frequency (Hz) 60 Hz

Power supply cable length 74 13/16 "

Plug (B) NEMA 5-15P

## Logistic Information


Width 23 5/8 "

Depth without handle 23 5/16 "










Height 78 3/4 "

Product depth with  
handle

25 1/16 "



## Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Air plus: keeps food fresher for longer.
	Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.		