

FC20UXDNE



Product family	Refrigerator
Installation	Free-standing
Category	Bottom mount
Reference width	Until 60
No-frost system	Yes
Cooling type	No-frost
Defrost	Automatic
Hinge	Standard
Slot-in	Yes
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709312992



Aesthetic



Aesthetics	Universal	Side color	Silver
Color	Stainless steel	Logo	Applied
Finishing	Fingerprint-proof	Door shelf profile color	White
Material	Stainless steel effect	Glass shelf profile color	Silver
Door stainless steel type	Fingerprint-proof	Display	LED
Handle	External	Display position	On door
Side material	Steel		

Refrigerator compartment features



Number of compartments	2	Crisper drawer type	Sliding crisper
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Bottle shelf	Yes
No. of adjustable shelves	3	Low temperature compartment	Yes
Number of fruit and vegetables drawers	1	Refrigerator lighting	LED
Type of adjustable shelves	Glass		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Humidity Control	Yes
Accessories	Egg tray

MultiFlow	Yes
-----------	-----

Freezer features

Number of drawers	3
-------------------	---

Other technical features




Display functions	Fast-freezing, ECO
Temperature alarm	Yes
Door open alarm	Yes
Temperature setting type	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Compressor type	Standard
Refrigerant quantity	1.1 oz
Foam agent	Cyclopentane

Performance / Energy Label










Total volume	12.47 cu. ft.	Freezer capacity	4.17 cu. ft.
Noise level	38 dB(A) re 1 pW	Refrigerator volume	8.30 cu. ft.

Electrical Connection

Plug	(B) NEMA 5-15P	Frequency (Hz)	60 Hz
Current	10 A	Power cord length	74 13/16 "
Voltage (V)	120 V		



Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Air plus: keeps food fresher for longer.
	Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.		

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

External display

External display for simple and intuitive control with quick access to information