

FC20UXDNE



Product family Installation Category Reference width Cooling type Defrost Hinge Slot-in Kitchen panel Hinge position Reversible door EAN code Refrigerator Free-standing Bottom mount Until 60 No-frost Automatic Standard Yes Not supplied Right Yes 8017709312992



Aesthetic

Aesthetics Universal Side color Silver Color Stainless steel Logo Applied Door shelf profile color Finishing Fingerprint-proof White Stainless steel effect Glass shelf profile color Silver Material LED Door stainless steel Fingerprint-proof Display type **Display position** On door Handle External Side material Steel

Refrigerator compartment features

No. of adjustable	3	Bottle shelf	Yes
shelves		Low temperature	Yes
Number of fruit and	1	compartment	
vegetables drawers		Refrigerator lighting	LED
Type of adjustable shelves	Glass		
Crisper drawer type	Sliding crisper		

Refrigerator Inner Door

Number of adjustable 3 door shelves



Other Refrigerator features

O Accessories	Egg tray	MultiFlow	Yes		
Freezer features					
Number of drawers	3				
Other technical features					



Fast-freezing, ECO Yes Yes Electronic 1 R600a Standard 1.1 oz Cyclopentane

Performance / Energy Label

Total volume	12.47 cu. ft.	Freezer capacity	4.17 cu. ft.
Noise level	38 dB(A) re 1 pW	Refrigerator volume	8.30 cu. ft.

Electrical Connection

Plug	(B) NEMA 5-15P	Frequency (Hz)	60 Hz
Current	10 A	Power cord length	74 13/16 "
Voltage (V)	120 V		









Symbols glossary



4 stars freezing compartment for better food preservation.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Air plus: keeps food fresher for longer.



Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F \sim 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

External display

External display for simple and intuitive control with quick access to information