FCA375SV



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	Until 60 cm
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Door opening flush with the wall	Yes
Slot-in	Yes
Hinge position	Right
Reversible door	Yes
EAN code	8017709255718

Aesthetics

Aesthetic	Universale	**Side material**	Steel
Colour	Silver	**Side colour**	Silver
Design	Flat	**Logo**	Applied
Material	Metal sheet	**Color of glass shelf profile**	White
Handle	Integrated		
Handle type	Fixed	**Display**	LCD Touch
Logo colour	Silver	**Display position**	

Refrigerator compartment features

No. of adjustable shelves	2	**Crisper Cover**	Yes
		Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2		
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	On sliding rails	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	1		

Other Refrigerator features



Accessories	Egg tray	**MultiFlow**	Yes

Freezer compartment features

Number of drawers	3	**No. of compartments with flap**	1

Other Freezer features



Accessories	1 ice box	**Fast freezing compartment**	Yes

Other technical features

Fast freezing button	Yes
Water network connection	
Power on lamp	Yes
Temperature alarm lamp	Yes
Door open alarm	Yes
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	38 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions	41 dB(A) re 1 pW

Electrical Connection

Electrical connection rating	160 W	**Frequency (Hz)**	50 Hz
Current	0,6 A	**Power supply cable length**	140 cm
Voltage (V)	220 V	**Plug**	(G) UK e Singapore

Logistic Information

Width	595 mm	**Height**	1898 mm
Depth without handle	667 mm		



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



LCD display: to optimize performance and simplify the use of the appliance.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90 °.