

FCA375SV



| | |
|----------------------------------|----------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | Bottom Mount |
| Reference width | Until 60 cm |
| Cooling type | Total No Frost |
| Defrost | Automatic |
| Hinge type | Standard |
| Door opening flush with the wall | Yes |
| Slot-in | Yes |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709255718 |



Aesthetics



| | | | |
|-------------|-------------|------------------------------|-----------|
| Aesthetic | Universale | Side material | Steel |
| Colour | Silver | Side colour | Silver |
| Design | Flat | Logo | Applied |
| Material | Metal sheet | Color of glass shelf profile | White |
| Handle | Integrated | Display | LCD Touch |
| Handle type | Fixed | Display position | |
| Logo colour | Silver | | |

Refrigerator compartment features



| | | | |
|---|------------------|---|-------|
| No. of adjustable shelves | 2 | Crisper Cover | Yes |
| Number of fruit and vegetables drawers | 2 | Type of crisper/vegetable drawers cover | Glass |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |

Refrigerator Inner Door

No. of door shelves with transparent cover

No. of bottle shelves 1

Number of adjustable door shelves 1

Other Refrigerator features



Accessories

Egg tray

MultiFlow

Yes

Freezer compartment features

Number of drawers 3

No. of compartments with flap 1

Other Freezer features



Accessories

1 ice box

Fast freezing compartment

Yes

Other technical features

Fast freezing button Yes

Water network connection

Power on lamp Yes

Temperature alarm lamp Yes

Door open alarm Yes

Temperature Alarm Yes

Type of temperature control Electronic

No. of compressors 1

Refrigerant gas type R600a

Type of compressor Standard

Refrigerant Quantity (g) 38 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions 41 dB(A) re 1 pW

Electrical Connection

Electrical connection rating 160 W

Frequency (Hz) 50 Hz

Current 0.6 A

Power supply cable length 140 cm


Voltage (V) 220 V

Plug (G) UK e Singapore

Logistic Information

Width 595 mm
Depth without handle 667 mm

Height 1898 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



LCD display: to optimize performance and simplify the use of the appliance.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90 °.