

FCA375SV





Product Family Refrigerator Installation Free standing **Bottom Mount** Category Until 60 cm Reference width **Total No Frost** Cooling type **Defrost** Automatic Standard Hinge type Door opening flush with the wall Yes Slot-in Yes Hinge position Right Reversible door Yes

EAN code 8017709255718



Aesthetics



Aesthetic Universale Side material Steel Colour Silver Side colour Silver Design Flat Logo **Applied** Color of glass shelf Material Metal sheet White

Handle Integrated profile
Handle type Fixed Display LCD Touch

Logo colour Silver Display porition

Refrigerator compartment features



No. of adjustable 2 Crisper Cover Yes shelves Type of Glass

Number of fruit and 2 crisper/vegetable vegetables drawers drawers cover

Type of adjustable Glass Internal light in fridge Yes

shelves
Type of United High Hindge Tes

Type of internal light LED

Type of On sliding rails (fridge)

crisper/vegetable drawers cover

Refrigerator Inner Door

No. of door shelves with 1 No. of bottle shelves 1 transparent cover



Number of adjustable door shelves

1

Other Refrigerator features

(b)

Accessories Egg tray MultiFlow Yes

Freezer compartment features

Number of drawers 3 No. of compartments 1

with flap

Other Freezer features

*

Accessories 1 ice box Fast freezing Yes

compartment

Other technical features

Fast freezing button Yes

Water network connection

Power on lamp
Yes
Temperature alarm lamp
Yes
Door open alarm
Yes
Temperature Alarm
Yes
Type of temperature control

Type of temperature control Electronic
No. of compressors 1

Refrigerant gas type R600a
Type of compressor Standard
Refrigerant Quantity (g) 38 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions

41 dB(A) re 1 pW

Electrical Connection

Electrical connection 160 W Frequency (Hz) 50 Hz

rating Power supply cable 140 cm Current 0,6 A length


Voltage (V) 220 V Plug (G) UK e Singapore



Logistic Information

Width 595 mm Height 1898 mm

Depth without handle 667 mm





Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



LCD display: to optimize performance and simplify the use of the appliance.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.