

FCA375SV



Product Family	Refrigerator
Installation	Free Standing
Category	Bottom Mount
Reference width	Until 60
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Door opening flush with the wall	Yes
Slot-in	Yes
Hinge position	Right
Reversible door	Yes
EAN code	8017709255718



Aesthetics



Aesthetic	Universal	Side colour	Silver
Colour	Silver	Logotipo	Logotipo aplicado
Design	Flat	Cor do perfil da prateleira de vidro	White
Material	Metal sheet	Display	LCD Touch
Handle kit to be ordered separately	No	Mostrar porções	
Handle	Integrated	Dispenser	No
Handle type	Fixed	Water Filter	No
Logo colour	Silver	HomeBar	No
Side material	Steel		

Refrigerator compartment features



No. of adjustable shelves	2	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	Life Plus zone-0°C	No
Type of adjustable shelves	Glass	Compartimento baixa temperatura	No
Type of crisper/vegetable drawers cover	On sliding rails	Internal light in fridge	Yes
Crisper Cover	Yes	Type of internal light (fridge)	LED
Bottle shelf	No		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	1	Bottle shelves with wire support	No
Adjustable door shelves with wire support	No		

Other Refrigerator features



Accessories	Egg tray	Fan	No
Natural Plus Blu Light	No	Ionizer	No
MultiFlow	Yes	Filtro de odor antibacteriano	No

Freezer compartment features

Number of drawers	3	Internal light in freezer	No
No. of compartments with flap	1	Type of internal light (freezer)	No

Freezer Inner Door

Pizza box	No
-----------	----

Other Freezer features



Accessories	1 ice box	Fast freezing compartment	Yes
Manual ice maker	No	Ice tray shelf	No
Ice maker	No		

Other technical features

MultiZone	No
Fast freezing button	Yes
Ligação à rede de água	
Power on lamp	Yes
Temperature alarm lamp	Yes
Door open alarm	Yes
Temperature Alarm	Yes
Antibacterial Gasket	No
Type of temperature control	Electronic


No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	38 g
Espuma expansiva de isolamento	Ciclopentano

Etiqueta de Desempenho / Energia - Reg. 2019

Airborne acoustical noise emissions 41 dB(A) re 1 pW

Electrical Connection

Plug	(G) Reino Unido e Singapura	Voltage (V)	220 V
Electrical connection rating	160 W	Frequency (Hz)	50 Hz
Current	0,6 A	Power supply cable length	140 cm



Symbols glossary



O sistema de descongelamento automático funciona descongelando automaticamente em intervalos regulares, eliminando a necessidade de descongelar completamente.



CONGELAMENTO RÁPIDO: A função de congelamento rápido reduz a temperatura do compartimento quando ativado algumas horas antes do uso.



Air mais: mantém a comida mais fresca por mais tempo.



Display LCD: para otimizar o desempenho e simplificar o uso do aparelho.



Iluminação interior LED: é uma forma mais eficiente em termos energéticos e duradoura de iluminar o interior do aparelho.



Slot-in: As geladeiras com abertura Slot-in podem ser perfeitamente integrados na estrutura do mobiliário, uma vez que as portas abertas a 90° não vão além do lado do produto. Em caso de instalação ao lado da parede, será necessário considerar as dimensões do puxador para abrir a porta a 90°.

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

Reversible door

Reversible door ensures flexible installation and space optimisation

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination