

FD30UXI



Product family	Refrigerator
Installation	Free-standing
Category	French-door
No-frost system	Yes
Cooling type	Total no-frost - Dual-flow cooling system
Defrost	Automatic
Hinge	Standard
Counter-depth	Yes
EAN code	8017709344023



Aesthetic



Aesthetics	SPR	Side material	Steel
Color	Stainless steel	Side color	Steel
Material	Steel	Logo	Applied
Door stainless steel type	Normal	Door shelf profile color	Silver
Handle	External	Drawers profile color	Silver
Handle	Fixed	Glass shelf profile color	Silver
Handle color	Stainless steel	Display	LED
Logo color	Stainless steel	Display position	Internal

Refrigerator compartment features



Number of compartments	3	Type of crisper cover	Glass
Compartment types	Low temperature compartment, Fruit and vegetable compartment	No. of lights	1
Type of adjustable shelves	Glass	Low temperature compartment	Yes
Crisper drawer type	Standard	Refrigerator lighting	Yes
Crisper cover	Yes	Refrigerator lighting	LED

Refrigerator Inner Door

Number of adjustable door shelves 4

No. of bottle shelves 2

Other Refrigerator features



MultiFlow

Yes

Fan

Yes

Freezer features

Number of drawers 2

No. of lights 2

Freezer lighting Yes

Freezer lighting LED

Other Freezer features

Accessories 1 x ice box

Ice maker Automatic

Other technical features



Display functions

Fast-freezing button

Water network connection

Power-on light

Temperature alarm

Door open alarm

Temperature setting type

No. of compressors

Refrigerant gas type

Compressor type

Foam agent

Holiday, Fast-freezing, Sabbath

Yes

Yes

Yes

Yes

Yes

Electronic

1

R600a

Inverter

Cyclopentane

Performance / Energy Label

Total volume 16.10 cu. ft.

Freezer volume 5.19 cu. ft.

Refrigerator compartment 10.81 cu. ft.

Noise level 39 dB(A) re 1 pW

Freezer capacity 5.76 cu. ft.

Refrigerator volume 11.72 cu. ft.

Electrical Connection

Electrical connection rating 200 W

Current 2 A

Frequency (Hz) 60 Hz


Power cord length 84 5/8 "

Plug (B) NEMA 5-15P










Voltage (V) 120 V

Logistic Information

Width	29 15/16 "	Width with doors open at 90°	50 7/8 "
Depth without handle	27 9/16 "	Product depth (handle included)	29 15/16 "
Height	69 11/16 "	Depth with door open at 90°	40 1/4 "



Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.		Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.
	Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.		Air plus: keeps food fresher for longer.
	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts.		