

FD32E

Product Family Refrigerator Installation Free standing Category Top Mount Until 60 cm Reference width 160 - 200 cm Reference height Cooling type Static Standard Hinge type Hinge position Right Reversible door Yes

EAN code 8017709337551



Aesthetics

shelves

Universale **Aesthetic** Handle type Fixed Colour White Handle colour White Side material Design Flat Steel Material Metal sheet Side colour White Handle External Applied Logo

Refrigerator compartment features

Number of 1 Type of Standard compartments crisper/vegetable

Compartment types Fruit and vegetable drawers cover compartment Crisper Cover Yes

No. of adjustable 4 Type of Glass shelves crisper/vegetable

Number of fruit and 1 drawers cover vegetables drawers Internal light in fridge Yes

Type of adjustable Glass Type of internal light Incandescent light

(fridge)

Refrigerator Inner Door

Number of adjustable 3 No. of bottle shelves 1 door shelves

Other Refrigerator features



Accessories

Egg tray

Freezer compartment features

No. of shelves Type of shelves 1

Other Freezer features

Accessories 1 ice box Ice tray shelf Yes

Other technical features



Antibacterial Gasket Yes

Type of temperature control Electro-mechanical

No. of compressors Refrigerant gas type R600a Type of compressor Standard Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

E A

Annual energy consumption

Energy efficiency class

Airborne acoustical

noise emission class

Total net volume

Sum of the volumes of the frozen

compartment(s)

208 kWh/a

306 I

69 I

120 W

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)

Airborne acoustical

noise emissions

Temperature Rise Time

Climate class **EEI**

13 h SN. N. ST 100 %

37 dB(A) re 1 pW

237 I

Wire

Electrical Connection

Electrical connection

rating

Current 0.6 A

220-240 V Voltage (V)

Frequency (Hz) Power supply cable

length

Plug

50 Hz 215 cm


(F;E) Schuko

Logistic Information

Width 595 mm Depth without handle 592 mm Height Product width with 1750 mm 1046 mm

maximum doors opening







Alternative products



FD32ES

Hinge position: Right

Silver



Symbols glossary



Antibacterial treatment: antibacterial treatment to ensure better hygiene.



Energy efficiency class E