

FD70EN4HM





Product Family Refrigerator Installation Free standing Top Mount Category Reference width 60 - 70 Sistema Total No - Frost Yes

Cooling type Total No Frost - Double Cooling

system Automatic

Defrost Standard Hinge type Yes Slot-in Hinge position Right Reversible door Yes

EAN code 8017709295950



Aesthetics



Aesthetic Universale Logo colour Chrome Colour Marble look Side material Steel Design Flat Side colour Cream Material Metal sheet Logo Applied Handle External Display **LED**

Handle type Fixed Display porition

Handle colour Cream

Refrigerator compartment features



Number of

Compartment types

compartments

No. of adjustable

shelves Number of fruit and

vegetables drawers

Type of adjustable

shelves Type of

crisper/vegetable drawers cover

3

Low temperature compartment, Fruit and

vegetable compartment

2

Glass

Standard

Esterno (su porta)

Crisper Cover Yes Type of Glass crisper/vegetable drawers cover

Low temperature compartment

Internal light in fridge Type of internal light

(fridge)

Yes

Yes **LED**

SMEG SPA 18/9/2025



Refrigerator Inner Door

Number of adjustable

door shelves

No. of bottle shelves

1

Other Refrigerator features

(

*

Accessories Cheese box, Egg tray

3

MultiFlow Yes

Fan Yes

Freezer compartment features

No. of shelves

Internal light in freezer

1

Yes

2

Type of internal light

(freezer)

Type of shelves

Glass

LED

Freezer Inner Door

No. of adjustable door

shelves

Other Freezer features

Ice maker Manual

Other technical features













Functions display Holiday, Fast freezing, Fast cooling, ECO, Control lock,

Yes

Temperature alarm, Cooling timer

Door open alarm Temperature Alarm

Temperature Alarm Yes
Type of temperature control Electronic

No. of compressors

Refrigerant gas type R600a
Type of compressor Inverter
Refrigerant Quantity (gr) 63 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019



SMEG SPA 18/9/2025



249 kWh/a **Annual** energy consumption **Energy efficiency class** Ε Airborne acoustical C noise emission class Total net volume 434 I Sum of the volumes of 98 I the frozen compartment(s) Sum of the volumes of 337 I the chill compartment(s) and the unfrozen compartment(s)


Airborne acoustical 41 dB(A) re 1 pW noise emissions

Temperature Rise Time 13.45 h 4 star - Freezing 7.0 kg/24h capacity

Climate class SN, T EEI 100 %

Electrical Connection

Plug (F;E) Schuko Voltage (V) 220-240 V
Electrical connection 200 W Frequency (Hz) 50 Hz
rating Power supply cable 210 cm
Current 1.39 A length



SMEG SPA 18/9/2025



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Energy efficiency class E



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.

SMEG SPA 18/9/2025