

FD70FN1HX



Product Family	Refrigerator
Installation	Free standing
Category	Top Mount
Reference width	60 - 70
Sistema Total No - Frost	Total
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Standard
Slot-in	Yes
Hinge position	Right
Reversible door	Yes
EAN code	8017709295981



Aesthetics



Aesthetic	Universale	Handle type	Fixed
Colour	Stainless steel	Handle colour	Silver
Finishing	Fingerproof	Logo colour	Chrome
Design	Flat	Side material	Steel
Material	Stainless steel	Side colour	Silver
Door steel type	Finger proof	Logo	Applied
Handle	External		

Refrigerator compartment features



No. of adjustable shelves	2	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	Life Plus zone-0°C	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	Standard	Type of internal light (fridge)	LED
Crisper Cover	Yes		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Accessories
MultiFlow

Cheese box, Egg tray
Yes

Fan

Yes

Freezer compartment features

No. of shelves

1

Type of shelves

Glass

Type of internal light (freezer)

LED

Freezer Inner Door

No. of adjustable door shelves

2

Other Freezer features

Manual ice maker

Yes

Ice maker

Manual

Other technical features

Type of temperature control

Electro-mechanical

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Standard

Refrigerant Quantity (gr)

61 g

Foam agent

Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption

311 kWh/a

Airborne acoustical noise emissions

41 dB(A) re 1 pW

Energy efficiency class

F

Temperature Rise Time

13.28 h

Airborne acoustical noise emission class

C

4 star - Freezing capacity

7.0 Kg/24h

Total net volume

434 l

Climate class

SN, T

Sum of the volumes of the frozen compartment(s)

98 l

EEL


125 %

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)











337 l

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	200 W	Frequency (Hz)	50 Hz
Current	1,39 A	Power supply cable length	210 cm



Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.		Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.
	Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90 °.		Energy efficiency class F

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Manual Ice Maker

Manual ice maker to manually adjust the amount of ice produced according to personal requirements