

FF18EN2HX



Product Family Installation Category Cooling type Hinge type Hinge position Reversible door Freezers Free Standing Single door No Frost Standard Left Yes



Aesthetics

X

×				
Aesthetic	Universale	Handle	External	
Colour	Stainless steel	Handle type	Fixed	
Finishing	Fingerproof	Handle colour	Silver	
Design	Flat	Side material	Metal	
Material	Stainless steel	Side colour	Silver	
Door steel type	Finger friendly stainless steel	Logo	Applied	

Freezer compartment features

Number of drawers	
No. of compartments with flap	

5 2

Other technical features

Freezer compartment	lce cube tray	No. of compressors	1
accessories		Refrigerant gas type	R600a
Fast freezing button	Yes	Type of compressor	Inverter
Power on lamp	Yes	Refrigerant Quantity	60 g
Temperature alarm	Yes	(gr)	-
Type of temperature control	Electronic	Foam agent	Cyclopentane



Performance / Energy Label - Reg. 2019

E	
Annual energy consumption	249 kWh/a
Total net volume	2791
Energy efficiency class	E
Airborne acoustical noise emission class	С
Sum of the volumes of the frozen compartment(s)	280

Temperature Rise Time	16.5 h
4 star - Freezing	13.0 Kg/24h
capacity	
Climate class	SN, T
EEI	100 %

Electrical Connection

Plug	(F;E) Schuko	Voltage	220-240 V
Electrical connection rating	183 W	Frequency (Hz) Power supply cable	50 Hz 210 cm
Current	1,25 A	length	
1850 1850 1850		1860	
	× ا	93	



Compatible Accessories

REFLK

connecting kit





Symbols glossary



4 stars freezing compartment for better food preservation.



Energy efficiency class E



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. A" A



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



Benefit (TT)

No-Forst Cooling System

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Reversible Door

Reversible door ensures flexible installation and space optimisation

Climatic Class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F \sim 109 °F)

External Handle

The external handle ensures practicality and ease of use of the freezer

R600a Refrigerant Gas

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption