

FF18EN2HX

**Product Family**

Freezers

Installation

Free Standing

Category

Single door

Cooling type

No Frost

Hinge type

Standard

Hinge position

Left

Reversible door

Yes



Aesthetics

**Aesthetic**

Universale

Handle

External

Colour

Stainless steel

Handle type

Fixed

Design

Flat

Handle colour

Silver

Finishing

Fingerproof

Side material

Metal

Material

Stainless steel

Side colour

Silver

Door steel type

Finger friendly stainless steel

Logo

Applied

Freezer compartment features

Number of drawers

5

No. of compartments with flap

2

Other technical features

**Freezer compartment accessories**

Ice cube tray

No. of compressors

1

Refrigerant gas type

R600a

Fast freezing button

Yes

Type of compressor

Inverter

Power on lamp

Yes

Refrigerant Quantity (g)

60 g

Temperature alarm

Yes

Foam agent

Cyclopentane

Type of temperature control


Electronic

Performance / Energy Label - Reg. 2019

	A
Annual energy consumption	249 kWh/a
Total net volume	279 l
Energy efficiency class	E
Airborne acoustical noise emission class	C
Sum of the volumes of the frozen compartment(s)	280 l
Temperature Rise Time	16,5 h
4 star - Freezing capacity	13,0 kg/24h
Climate class	SN, T
EEI	100 %

Electrical Connection

Electrical connection rating	183 W	Frequency (Hz)	50 Hz
Current	1,25 A	Power supply cable length	210 cm
Voltage	220-240 V	Plug	(F;E) Schuko





Compatible Accessories

REFLK

connecting kit



Symbols glossary



4 stars freezing compartment for better food preservation.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class E



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.