

FQI48XD



Product Family	Refrigerator
Installation	Free standing
Category	4 Doors
Reference width	Higher than 80 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
EAN code	8017709346508



Aesthetics



Aesthetic	Universale	Logo colour	Chrome
Colour	Inox Look	Side material	Steel
Design	Flat	Side colour	Dark grey
Finishing	Fingerproof	Logo	Applied
Material	Metal sheet	Door shelves profile color	Silver
Door steel type	Finger proof	Drawers profile color	Silver
Handle	Integrated	Color of glass shelf profile	Silver
Handle type	Fixed	Display	LED
Handle colour	Black	Display position	Esterno (su porta)

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights refrigerator compartment	2
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Shelves material	Glass	Internal light in fridge	Yes
		Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover Standard

Refrigerator Inner Door

Number of adjustable door shelves 4 No. of bottle shelves 2

Other Refrigerator features



Humidity Control Yes, manual MultiFlow Metal
Accessories Bottle holder, Egg tray Antibacterial odour filter Yes

Freezer compartment features

Number of drawers 4 Type of shelves Glass
No. of shelves 1

Other Freezer features



Accessories manual ice-maker Fast freezing compartment Yes
Ice maker Manual

Other technical features



Functions display Holiday, Fast freezing, Fast cooling, ECO, Control lock, Cooling timer
Fast freezing button Yes
Door open alarm Yes
Type of temperature control Electronic
No. of compressors 1
Refrigerant gas type R600a
Type of compressor Inverter
Refrigerant Quantity (g) 62 g
Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption 244 kWh/a Airborne acoustical noise emissions 39 dB(A) re 1 pW


Energy efficiency class	D	Temperature Rise Time	10.8 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	8.7 kg/24h
Total net volume	488 l	Climate class	SN, T
Sum of the volumes of the frozen compartment(s)	166 l	EI	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	322 l		

Electrical Connection

Electrical connection rating	206 W	Frequency (Hz)	50 Hz
Current	1 A	Power supply cable length	250 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width	840 mm	Height	1790 mm
Depth without handle	690 mm		



Alternative products



FQI48KD

Dark Grey Inox Look

Symbols glossary

-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  LED display: to show programmes, functions and options selected and the time to the end of the cycle.
-  Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.
-  Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
-  Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.
-  Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. The stainless steel panel gives a more premium look to the appliance.
-  Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
-  Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
-  Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Energy efficiency class D