

FQI60KD



Product Family	Refrigerator
Installation	Free standing
Category	4 Doors
Reference width	Higher than 80
Reference height	160 - 200
Sistema Total No - Frost	Total
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
EAN code	8017709342128



Aesthetics



Aesthetic	Universale	Side material	Steel
Colour	Dark Inox Look	Side colour	Silver
Finishing	Fingerproof	Logo	Applied
Design	Flat	Door shelves profile color	Silver
Material	Steel Effect	Drawers profile color	Silver
Handle	Integrated	Color of glass shelf profile	Silver
Handle type	Fixed	Display	LED
Handle colour	Black	Display position	Esterno (su porta)
Logo colour	Chrome		

Refrigerator compartment features



Crisper Cover	Yes	Convertible temperature drawer	Yes
Type of crisper/vegetable drawers cover	Glass	Internal light in fridge	Yes
No. of lights refrigerator compartment	2	Type of internal light (fridge)	LED
Life Plus zone-0°C	Yes		

Refrigerator Inner Door

Number of adjustable door shelves	4	No. of bottle shelves	2
-----------------------------------	---	-----------------------	---

Other Refrigerator features



MultiFlow Metal

Freezer compartment features

Number of drawers	4	Internal light in freezer	Yes
No. of shelves	2	Type of internal light (freezer)	LED
No. of lights freezer compartment	2	Type of shelves	Plastic

Other Freezer features



Fast freezing compartment Yes

Other technical features



Functions display	Holiday, Fast freezing, Fast cooling, MultiZone, ECO
MultiZone	Yes
Fast freezing button	Yes
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	255 kWh/a	Airborne acoustical noise emissions	39 dB(A) re 1 pW
Energy efficiency class	D	Temperature Rise Time	11 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	13.0 Kg/24h
Total net volume	522 l	Climate class	SN, N, ST
Sum of the volumes of the frozen compartment(s)	179 l	EI	80 %












Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 343 l

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	180 W	Frequency (Hz)	50 Hz
Current	1.5 A	Power supply cable length	180 cm



Symbols glossary

- | | | | |
|--|---|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle. |
|  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer. |  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |
|  | Multizone: Multizone compartment can be used as a refrigerator or a freezer compartment. Depending on your needs and eating habits, you can select settings, program the temperature using. |  | Energy efficiency class D |
|  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. The stainless steel panel gives a more premium look to the appliance. | | |

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Metallic Multiflow system

The metal Multiflow system ensures an even distribution of cold air inside the refrigerator, which diffuses through an elegant stainless steel panel

A back panel with a series of openings ensures uniform circulation of cold air around each shelf of the refrigerator. This advanced air recirculation system ensures a constant temperature and humidity level, preserving food freshness for longer and helping to reduce food waste significantly

Multizone (variable temperature compartment)

The Multizone system isolates a freezer compartment with adjustable temperature independent of the main compartment, to give maximum storage flexibility

The Multizone compartment can be used both as a freezer and as a refrigerator. Depending on one's needs and eating habits, each user can choose how to set it, programming the temperature via the external display.

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Reversible door

Reversible door ensures flexible installation and space optimisation

Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Freezer internal lighting

Interior lighting for perfect visibility of the drawers in the freezer compartment

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

External display

External display for simple and intuitive control with quick access to information