

FQI60KDZA



| | |
|--------------------------|----------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | 4 Doors |
| Reference width | Higher than 80 |
| Reference height | 160 - 200 |
| Sistema Total No - Frost | Yes |
| Cooling type | Total No Frost |
| Defrost | Automatic |
| Hinge type | Standard |
| EAN code | 8017709342135 |



Aesthetics



| | | | |
|---------------|----------------|------------------------------|--------------------|
| Aesthetic | Universale | Side material | Steel |
| Colour | Dark Inox Look | Side colour | Silver |
| Finishing | Fingerproof | Logo | Applied |
| Design | Flat | Door shelves profile color | Silver |
| Material | Steel Effect | Drawers profile color | Silver |
| Handle | Integrated | Color of glass shelf profile | Silver |
| Handle type | Fixed | Display | LED |
| Handle colour | Black | Display position | Esterno (su porta) |
| Logo colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---|---|--|-----|
| Number of compartments | 3 | No. of lights refrigerator compartment | 2 |
| Compartment types | Fruit and vegetable compartment, Variable temperature compartment - 3°/0°/3°C | Convertible temperature drawer | Yes |
| Crisper Cover | Yes | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door

Number of adjustable door shelves 4

No. of bottle shelves 2

Other Refrigerator features



MultiFlow

Metal

Freezer compartment features

Number of drawers 4

No. of shelves 2

No. of lights freezer compartment 2

Internal light in freezer Yes

Type of internal light (freezer) LED

Type of shelves Plastic

Other Freezer features



Fast freezing compartment

Yes

Other technical features



Functions display

MultiZone

Fast freezing button

Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type

Type of compressor

Foam agent

Holiday, Fast freezing, Fast cooling, MultiZone, ECO

Yes

Yes

Yes

Electronic

1

R600a

Inverter

Cyclopentane

Performance / Energy Label - Reg. 2019

Total net volume 522 l

Sum of the volumes of the frozen compartment(s) 179 l

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 343 l

Airborne acoustical noise emissions 39 dB(A) re 1 pW

Electrical Connection

Plug (M) Sud Africa


Voltage (V) 220-240 V

Electrical connection rating
Current










180 W
1,5 A

Frequency (Hz)
Power supply cable length

50 Hz
180 cm



Symbols glossary

| | | | |
|--|---|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle. |
|  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Multizone: Multizone compartment can be used as a refrigerator or a freezer compartment. Depending on your needs and eating habits, you can select settings, program the temperature using. |
|  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. The stainless steel panel gives a more premium look to the appliance. | | |

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Metallic Multiflow system

The metal Multiflow system ensures an even distribution of cold air inside the refrigerator, which diffuses through an elegant stainless steel panel

A back panel with a series of openings ensures uniform circulation of cold air around each shelf of the refrigerator. This advanced air recirculation system ensures a constant temperature and humidity level, preserving food freshness for longer and helping to reduce food waste significantly

Multizone (variable temperature compartment)

The Multizone system isolates a freezer compartment with adjustable temperature independent of the main compartment, to give maximum storage flexibility

The Multizone compartment can be used both as a freezer and as a refrigerator. Depending on one's needs and eating habits, each user can choose how to set it, programming the temperature via the external display.

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Reversible door

Reversible door ensures flexible installation and space optimisation

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Freezer internal lighting

Interior lighting for perfect visibility of the drawers in the freezer compartment

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

External display

External display for simple and intuitive control with quick access to information