

# FQI60KDZA



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Free standing
<b>Category</b>	4 Doors
<b>Reference width</b>	Higher than 80 cm
<b>Reference height</b>	160 - 200 cm
<b>Sistema Total No - Frost</b>	Yes
<b>Cooling type</b>	Total No Frost
<b>Defrost</b>	Automatic
<b>Hinge type</b>	Standard
<b>EAN code</b>	8017709342135



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Side material</b>	Steel
<b>Colour</b>	Dark Inox Look	<b>Side colour</b>	Silver
<b>Design</b>	Flat	<b>Logo</b>	Applied
<b>Finishing</b>	Fingerproof	<b>Door shelves profile color</b>	Silver
<b>Material</b>	Steel Effect	<b>Drawers profile color</b>	Silver
<b>Handle</b>	Integrated	<b>Color of glass shelf profile</b>	Silver
<b>Handle type</b>	Fixed	<b>Display</b>	LED
<b>Handle colour</b>	Black	<b>Display porition</b>	Esterno (su porta)
<b>Logo colour</b>	Chrome		

## Refrigerator compartment features



<b>Number of compartments</b>	3	<b>No. of lights refrigerator compartment</b>	2
<b>Compartment types</b>	Fruit and vegetable compartment, Variable temperature compartment - 3°/0°/3°C	<b>Convertible temperature drawer</b>	Yes
<b>Crisper Cover</b>	Yes	<b>Internal light in fridge</b>	Yes
<b>Type of crisper/vegetable drawers cover</b>	Glass	<b>Type of internal light (fridge)</b>	LED

## Refrigerator Inner Door

Number of adjustable door shelves 4

No. of bottle shelves 2

## Other Refrigerator features



MultiFlow

Metal

## Freezer compartment features

Number of drawers 4

No. of shelves 2

No. of lights freezer compartment 2

Internal light in freezer Yes

Type of internal light (freezer) LED

Type of shelves Plastic

## Other Freezer features



Fast freezing compartment

Yes

## Other technical features



Functions display

MultiZone

Fast freezing button

Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type

Type of compressor

Foam agent

Holiday, Fast freezing, Fast cooling, MultiZone, ECO

Yes

Yes

Yes

Electronic

1

R600a

Inverter

Cyclopentane

## Performance / Energy Label - Reg. 2019

Total net volume 522 l

Sum of the volumes of the frozen compartment(s) 179 l

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 343 l

Airborne acoustical noise emissions 39 dB(A) re 1 pW

## Electrical Connection


Frequency (Hz)

50 Hz

Electrical connection rating	180 W	Power supply cable length	180 cm
Current	1,5 A	Plug	(M) Sud Africa
Voltage (V)	220-240 V		

## Logistic Information

Width	910 mm	Product width with maximum doors opening	1515 mm
Depth without handle	690 mm	Product depth with handle	690 mm
Height	1905 mm	Product depth with doors open at 90°	1062 mm



---

## Symbols glossary

---

- |  |   |   |  |
|--|---|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.   |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.  |
|  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.  |  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.                      |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.   |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                                    |
|  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. The stainless steel panel gives a more premium look to the appliance. |  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |
|  | Multizone: Multizone compartment can be used as a refrigerator or a freezer compartment. Depending on your needs and eating habits, you can select settings, program the temperature using.         |   |  |