

FS09EW

Product Family	Refrigerator
Installation	Free standing
Category	Under counter
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709337803



Aesthetics

Aesthetic	Universale	Handle colour	White
Colour	White	Side material	Steel
Design	Flat	Side colour	White
Material	Metal sheet	Logo	Applied
Handle	Integrated	Alternative colours available	Silver
Handle type	Fixed		

Refrigerator compartment features

Number of compartments	1	Type of crisper/vegetable drawers cover	Standard
Compartment types	Fruit and vegetable compartment	Crisper Cover	Yes
No. of adjustable shelves	1	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	Incandescent light

Refrigerator Inner Door

Number of adjustable door shelves	2	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features

Accessories

Egg tray

Freezer compartment features

Internal freezer compartment Yes

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	145 kWh/a	Airborne acoustical noise emissions	40 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	6,6 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	2,6 kg/24h
Total net volume	121 l	Climate class	N, T
Sum of the volumes of the frozen compartment(s)	17 l	EEI	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	105 l		

Electrical Connection

Electrical connection rating	106 W	Frequency (Hz)	50 Hz
Current	0,51 A	Power supply cable length	120 cm
Voltage (V)	230 V	Plug	(F;E) Schuko

Logistic Information

Width	540 mm	Height	838 mm
Depth without handle	595 mm	Product width with maximum doors opening	659 mm




Alternative products



FS09ES

Hinge position: Right
Silver

Symbols glossary

 Energy efficiency class E