

# FS18EV2HX



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Cooling type	No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709296049



## Aesthetics



Aesthetic	Universale	Handle type	Fixed
Colour	Stainless steel	Handle colour	Silver
Design	Flat	Logo colour	Chrome
Finishing	Fingerproof	Side material	Steel
Material	Stainless steel	Side colour	Silver
Door steel type	Finger proof	Logo	Applied
Handle	External		

## Refrigerator compartment features



Number of compartments	3	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	Low temperature compartment	Yes
Number of fruit and vegetables drawers	2	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

## Refrigerator Inner Door

Number of adjustable door shelves	4	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

## Other Refrigerator features




Humidity Control	Yes, manual	Fan	Yes
MultiFlow	Yes		

## Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	39 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019



			
Annual energy consumption	121 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	390 l
Energy efficiency class	E	Airborne acoustical noise emissions	40 dB(A) re 1 pW
Airborne acoustical noise emission class	C	Climate class	SN, T
Total net volume	389 l	EI	100 %

## Electrical Connection

Electrical connection rating	110 W	Frequency (Hz)	50 Hz
Current	0,52 A	Power supply cable length	210 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

## Logistic Information

Width	595 mm	Product width with maximum doors opening	982 mm
Depth without handle	650 mm	Product depth with doors open at 90°	1244 mm
Height	1860 mm	Spacer depth	30 mm



---









## Compatible Accessories

---

REFLK  
connecting kit



## Symbols glossary

-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.
-  A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
-  Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.
-  Energy efficiency class E