

FS18EV3HX





Product Family Refrigerator Installation Free standing One Door Category Reference width Until 60 cm No Frost Cooling type **Defrost** Automatic Standard Hinge type Hinge position Right Reversible door Yes

EAN code 8017709296056



Aesthetics





Aesthetic Universale Logo colour Chrome Colour Stainless steel Side material Steel Design Flat Side colour Silver **Finishing Fingerproof** Logo Applied Material Stainless steel Door shelves profile Silver Door steel type Finger proof Drawers profile color Silver

Handle External Color of glass shelf Silver Handle type Fixed profile Handle colour Silver

Display LCD Touch

Display porition Esterno (su porta)

Refrigerator compartment features



Number of 3 Crisper Cover Yes compartments Type of Glass **Compartment types** Low temperature crisper/vegetable

compartment, Fruit and drawers cover vegetable compartment No. of lights refrigerator 1

compartment

No. of adjustable shelves Low temperature Yes

Number of fruit and compartment vegetables drawers Internal light in fridge Yes

Type of adjustable Glass Type of internal light **LED** shelves (fridge)



Type of crisper/vegetable drawers cover

Standard

Refrigerator Inner Door

Number of adjustable door shelves

4

No. of bottle shelves

1

Other Refrigerator features

*

an Yes

Other technical features

9



Functions display Holiday, Fast cooling, ECO, Temperature alarm

1

Type of temperature control Electro-mechanical

No. of compressors

Refrigerant gas type R600a
Type of compressor Standard
Refrigerant Quantity (g) 39 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

E A

Annual energy consumption

Energy efficiency class

Airborne acoustical

noise emission class

Total net volume

121 kWh/a

Sum of the volumes of 390 l the chill compartment(s)

and the unfrozen
compartment(s)

Airborne acoustical

40 dB(A) re 1 pW

noise emissions

Climate class SN, T EEI 100 %

Electrical Connection

Electrical connection

110 W

389 I

Frequency (Hz)

50 Hz

rating Current

0,52 A

Power supply cable 210

210 cm

Voltage (V)

0,52 A 220-240 V length Plug


(F;E) Schuko


Logistic Information



Width 595 mm Height 1860 mm

650 mm







Compatible Accessories





Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





LCD display: to optimize performance and simplify the use of the appliance.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



Energy efficiency class E