

FS18EV3HX



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Cooling type	No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709296056



Aesthetics



Aesthetic	Universale	Logo colour	Chrome
Colour	Stainless steel	Side material	Steel
Design	Flat	Side colour	Silver
Finishing	Fingerproof	Logo	Applied
Material	Stainless steel	Door shelves profile color	Silver
Door steel type	Finger proof	Drawers profile color	Silver
Handle	External	Color of glass shelf profile	Silver
Handle type	Fixed	Display	LCD Touch
Handle colour	Silver	Display porition	Esterno (su porta)

Refrigerator compartment features



Number of compartments	3	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	1
Number of fruit and vegetables drawers	2	Low temperature compartment	Yes
Shelves material	Glass	Internal light in fridge	Yes
		Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover Standard

Refrigerator Inner Door


Number of adjustable door shelves 4 No. of bottle shelves 1

Other Refrigerator features



Humidity Control Yes, manual Fan Yes

Other technical features



Functions display Holiday, Fast cooling, ECO, Temperature alarm
 Type of temperature control Electro-mechanical
 No. of compressors 1
 Refrigerant gas type R600a
 Type of compressor Standard
 Refrigerant Quantity (g) 39 g
 Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	121 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	390 l
Energy efficiency class	E	Airborne acoustical noise emissions	40 dB(A) re 1 pW
Airborne acoustical noise emission class	C	Climate class	SN, T
Total net volume	389 l	EI	100 %





Electrical Connection

Electrical connection rating	110 W	Frequency (Hz)	50 Hz
Current	0,52 A	Power supply cable length	210 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width 595 mm
Depth without handle 650 mm

Height 1860 mm













Compatible Accessories

REFLK
connecting kit



Symbols glossary

-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  LCD display: to optimize performance and simplify the use of the appliance.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
-  No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.
-  A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
-  Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Energy efficiency class E