

FS18EV3HX



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60
Cooling type	No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709296056



Aesthetics



Aesthetic	Universale	Logo colour	Chrome
Colour	Stainless steel	Side material	Steel
Finishing	Fingerproof	Side colour	Silver
Design	Flat	Logo	Applied
Material	Stainless steel	Door shelves profile color	Silver
Door steel type	Finger proof	Drawers profile color	Silver
Handle	External	Color of glass shelf profile	Silver
Handle type	Fixed	Display	LCD Touch
Handle colour	Silver	Display porition	Esterno (su porta)

Refrigerator compartment features



Number of compartments	3	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	1
Number of fruit and vegetables drawers	2	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
		Type of internal light (fridge)	LED

Type of
crisper/vegetable
drawers cover

Standard

Refrigerator Inner Door

Number of adjustable
door shelves

4

No. of bottle shelves

1


Other Refrigerator features



Fan

Yes

Other technical features



Functions display	Holiday, Fast cooling, ECO, Temperature alarm
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	39 g
Foam agent	Cyclopentane



Performance / Energy Label - Reg. 2019



Annual energy consumption	121 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	390 l
Energy efficiency class	E	Airborne acoustical noise emissions	40 dB(A) re 1 pW
Airborne acoustical noise emission class	C	Climate class	SN, T
Total net volume	389 l	EEI	100 %

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	110 W	Frequency (Hz)	50 Hz
Current	0.52 A	Power supply cable length	210 cm













Compatible Accessories

REFLK

connecting kit



Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		
	Energy efficiency class E		LCD display: to optimize performance and simplify the use of the appliance.
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

External display

External display for simple and intuitive control with quick access to information