

# FS9010CER-1


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code 90x60 cm 1 ELECTRICITY Ceramic Thermoseal Vapour Clean 8017709310585



# Aesthetics

•			
Aesthetic	Classic	Control knobs	Smeg Classic
Serie	Concerto	Controls colour	Stainless steel
Design	Standard	No. of controls	8
Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Door	With 2 horizontal strips
Command panel finish	Stainless steel	Glass type	eclypse
Logo	Embossed	Handle	Smeg Classic
Logo position	Facia below the oven	Handle Colour	Brushed stainless steel
Upstand	Yes	Feet	Silver
Hob colour	Stainless steel	Plinth	Black
Type of control setting	Control knobs		

# **Programs / Functions**





# Hob technical features



Total no. of cook zones 5

Front left - Ceramic - single - 1.20 kW - Ø 14.7 cm Rear left - Ceramic - single - 2.00 kW - Ø 21.2 cm Central - Ceramic - single - 1.40 kW - Booster 2.20 kW - 17.0x26.5 cm Rear right - Ceramic - single - 1.30 kW - Booster 2.00 kW - Ø 19.7 cm Front right - Ceramic - single - 1.20 kW - Ø 14.7 cm Selected zone indicator Yes

Residual heat indicator Yes

# **Main Oven Technical Features**

1151R 🧾 📑 🔊		
No. of lights	2	Full glass inner
Fan number	2	Total no. of doo
Net volume of the cavity	115	No.of thermo-re
Gross volume, 1st cavity	129 I	door glasses
Cavity material	Ever Clean enamel	Safety Thermos
No. of shelves	5	Cooling system
Type of shelves	Metal racks	Usable cavity s
Light type	Halogen	dimensions (Hx
Light Power	40 W	Temperature co
Cooking time setting	Stop	Lower heating
Light when oven door is	Yes	power
open		Upper heating
Door opening	Flap down	Power
Removable door	Yes	Grill elememt
		Large grill - Po
		Circular heating

Full glass inner door	Yes
Total no. of door glasses	3
No.of thermo-reflective	2
door glasses	
Safety Thermostat	Yes
Cooling system	Tangential
Usable cavity space	371x724x418 mm
dimensions (HxWxD)	
Temperature control	Electro-mechanical
Lower heating element	1700 W
power	
Upper heating element -	1200 W
Power	
Grill elememt	1700 W
Large grill - Power	2900 W
Circular heating element	2 x 1550 W
- Power	
Grill type	Electric

# **Options Main Oven**

End of cooking acoustic alarm	Yes	Maximum temperature	260 °C
Minimum Temperature	50 °C		

# Accessories included for Main Oven & Hob

Rack with back and side	1	Grill mesh	1
stop			
40mm deep tray	1		




# **Electrical Connection**

Electrical connection rating	11600 W
Current	31 A
Voltage	220-240 V
Voltage 2 (V)	380-415 V
Type of electric cable installed	Yes, Single phase

Cable testing Type of electric cable		
Frequency Terminal block		

Yes, Double and Three Phase 50/60 Hz 5 poles





# **Compatible Accessories**

# AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

### **BN920**



Enamelled tray 90cm cavity, 20mm deep

# GTP

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



# KIT600SNL-9

Cover strip for hob back side, suitable for 90 cm Concerto cookers



# KITH95

Height extension kit (950 mm), stainless steel

Pizza shovel with fold away handle

width: 315mm length: 325mm



# SCRP

PALPZ

Induction and ceramic hobs and teppanyaki scraper



# SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

# BBQ9

teflon-coated aluminum grid for 90 cm cavity

# **BN940**

Enamelled tray 90 cm, 40 mm deep

# GTT

\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished

# KIT90X9-1

Splash back, 90x60 cm, stainless steel, for Concerto cookers



# **KITPDQ**

Height reduction feet (850 mm), stainless steel, for cookers

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

# SFLK1

Child lock

# .ss•smeg

# Symbols glossary

	Installation in column: Installation in column	<u>ن</u> ین	Air cooling system: to ensure a safe surface temperatures.
<b>J</b> <sup>3</sup>	Triple glazed doors: Number of glazed doors.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	(%)	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
$\bigcirc$	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	*	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
****	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	( <del>?</del>	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.
()) ()	Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
20° 20°	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<u>.5</u>	The oven cavity has 5 different cooking levels.
V	Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	115 R	The capacity indicates the amount of usable space in the oven cavity in litres.



9

Knobs control



# Benefit (TT)

### Hob type ceramic

Ceramic hobs offers fast cooking and precise temperature control

### Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

### Knobs control

Easy and intuitive timer setting with a elegant knobs

### True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

## Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

## **BBQ** (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

## Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket



## Isothermic Cavity

The best cooking performance at the highest energy efficiency

# Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat