

FZU36L



Product family	Freezers
Installation	Built-in
Category	One Door
Cooling type	No-frost
Hinge	Door-to-door
Hinge position	Left



Aesthetic

Aesthetics	Universal	Side material	Metal
Material	Steel	Display	TFT
Door stainless steel type	Normal		

Freezer features

Freezer lighting	Yes
Freezer lighting	Incandescent light
Number of drawers	4

Other Freezer features

Ice maker	Automatico
-----------	------------

Other technical features



Display functions	Holiday, Fast-freezing	Type of temperature control	Electronic
Fast-freezing button	Yes	No. of compressors	1
Power-on light	Yes	Refrigerant gas type	R600a
Temperature alarm light	Yes	Type of compressor	Inverter
Door-open alarm	Yes	Refrigerant quantity	85 oz
Temperature Alarm	Yes	Foam agent	Cyclopentane

Performance / Energy Label


Total net volume	20.13 cu. ft.	Climatic class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	150.6 gal		

Electrical Connection





Current	3,5 A	Power cord length	78 3/4 "
Voltage	115 V	Plug	(B) NEMA 5-15P
Frequency (Hz)	60 Hz		

Logistic Information

Width	35 7/8 "	Built-in niche height	84 "
Built-in niche width	36 "	Width with doors open at 90°	41 3/8 "
Depth without handle	24 7/16 "	Depth with handle	28 15/16 "
Height	83 7/16 "	Product depth with doors open at 90°	58 9/16 "
Built-in niche depth	25 "		



Symbols glossary

- | | | | |
|--|---|---|---|
|  | <p>Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.</p> |  | <p>Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.</p> |
|  | <p>Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.</p> |  | <p>No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.</p> |