

FZU36L



Hinge

Product family Freezers Installation Built-in Category One Door Reference width Higher than 80 Reference height Higher than 200 No-frost Cooling type

Hinge position Left



Aesthetic

Universal Side material **Aesthetics** Metal Material Steel Display **TFT**

Door-to-door

Door stainless steel

type

Freezer features

Freezer lighting Yes

Normal

Freezer lighting Incandescent light

Number of drawers

Other Freezer features

Ice maker Automatico

Other technical features







Display functions Holiday, Fast-freezing Fast-freezing button

Yes Power-on light Yes Temperature alarm light Yes

Door-open alarm Yes Temperature Alarm Yes Type of temperature control

No. of compressors Refrigerant gas type Type of compressor Refrigerant quantity

Foam agent

Electronic

R600a Inverter 85 oz

Cyclopentane

SMEG SPA 8/13/2025



Performance / Energy Label

Total volume 150.6 gal Sum of the volumes of 150.6 gal

the frozen compartment(s)


Climatic class

SN, N, ST, T

Electrical Connection

Plug (B) NEMA 5-15P Current 3,5 A Voltage 115 V Frequency (Hz)
Power cord length

60 Hz 78 3/4 "



SMEG SPA 8/13/2025



Symbols glossary



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

SMEG SPA 8/13/2025



Benefit (TT)

No-Forst Cooling System

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Door-on-door Hinge

Fixed hinges, otherwise known as door-on-door hinges, directly connects the cabinet door to the appliance door

The cabinet door will not be attached to the rest of the cabinetry. Instead, it will be completely attached to the appliance door. Therefore, the appliance door will be bearing the weight of the cabinet door. This type of fitting is often sturdier than a sliding hinge fitting, and can give you a sleeker finish.

TFT Display

The TFT display offers an intuitive and elegant interface, making operation simple and immediate with a premium touch

Internal illumination

Interior lighting for perfect visibility of the drawers in the freezer compartment

R600a Refrigerant Gas

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Automatic Ice Maker

Automatic ice maker for ice always available when needed

SMEG SPA 8/13/2025