FZU36L



Product family	Freezer
Installation	Built-in
Category	Single Door
Cooling type	No-frost
Hinge	Door-to-door
Hinge position	Left
Reversible door	No

Aesthetic

Aesthetics	Universal	**Side material**	Metal
Material	Steel	**Display**	TFT
Door stainless steel type	Normal	**Display position**	Internal (on top)

Freezer features

Freezer lighting	Yes
Number of shelves	2
Freezer lighting	Incandescent light
Number of drawers	4

Other Freezer features

Ice maker	Automatic

Other technical features

Freezer accessories	Linking Kit	**Type of temperature control**	Electronic
Display functions	Holiday, Fast-freezing	**No. of compressors**	1
Fast-freezing button	Yes	**Refrigerant gas type**	R600a
Power-on light	Yes	**Type of compressor**	Inverter
Temperature alarm light	Yes	**Refrigerant quantity**	85 oz
Door-open Alarm	Yes		

Temperature Alarm	Yes	**Foam agent**	Cyclopentane

Performance / Energy Label


Annual energy consumption	670 kWh/year	**Climatic class**	SN, T
Total net volume	20.13 cu. ft.		

Electrical Connection

Current	2.5 A	**Power cord length**	78 3/4 "
Voltage	115 V	**Plug**	(B) NEMA 5-15P
Frequency (Hz)	60 Hz		

Logistic Information

Width	35 7/8 "	**Built-in niche height**	84 "
Built-in niche width	36 "	**Width with doors open at 90°**	41 3/8 "
Depth without handle	24 7/16 "	**Depth with handle**	28 15/16 "
Height	83 7/16 "	**Product depth with doors open at 90°**	58 9/16 "
Built-in niche depth	25 "		



Compatible Accessories

RSFZLK

Symbols glossary



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.