

FZU36LX



| | |
|-----------------------|--------------|
| Product family | Freezers |
| Installation | Built-in |
| Category | One Door |
| Cooling type | No-frost |
| Hinge | Door-to-door |
| Hinge position | Left |



Aesthetic

| | | | |
|----------------------------------|-----------------|----------------------|-----------------|
| Aesthetics | Classic | Handle | Fixed |
| Color | Stainless steel | Handle color | Stainless steel |
| Material | Stainless steel | Side material | Metal |
| Door stainless steel type | Normal | Logo | Applied |
| Handle | External | Display | TFT |




Freezer features

| | |
|--------------------------|--------------------|
| Freezer lighting | Yes |
| Freezer lighting | Incandescent light |
| Number of drawers | 4 |

Other Freezer features

| | |
|------------------|------------|
| Ice maker | Automatico |
|------------------|------------|

Other technical features

| | | | | | | |
|--|---|---|--------------------------------|------------------------|------------------------------------|------------|
|  |  |  | Display functions | Holiday, Fast-freezing | Type of temperature control | Electronic |
| | | | Fast-freezing button | Yes | No. of compressors | 1 |
| | | | Power-on light | Yes | Refrigerant gas type | R600a |
| | | | Temperature alarm light | Yes | Type of compressor | Inverter |
| | | | Door-open alarm | Yes | | |

| | | | |
|-------------------|-----|----------------------|--------------|
| Temperature Alarm | Yes | Refrigerant quantity | 85 oz |
| | | Foam agent | Cyclopentane |

Performance / Energy Label


| | | | |
|---|---------------|----------------|--------------|
| Total net volume | 20.13 cu. ft. | Climatic class | SN, N, ST, T |
| Sum of the volumes of the frozen compartment(s) | 150.6 gal | | |

Electrical Connection





| | | | |
|----------------|-------|-------------------|----------------|
| Current | 3,5 A | Power cord length | 78 3/4 " |
| Voltage | 115 V | Plug | (B) NEMA 5-15P |
| Frequency (Hz) | 60 Hz | | |

Logistic Information

| | | | |
|----------------------|-----------|--------------------------------------|------------|
| Width | 35 7/8 " | Built-in niche height | 84 " |
| Built-in niche width | 36 " | Width with doors open at 90° | 41 3/8 " |
| Depth without handle | 24 7/16 " | Depth with handle | 28 15/16 " |
| Height | 83 7/16 " | Product depth with doors open at 90° | 58 9/16 " |
| Built-in niche depth | 25 " | | |



Symbols glossary

- | | | | |
|--|---|---|---|
|  | <p>Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.</p> |  | <p>Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.</p> |
|  | <p>Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.</p> |  | <p>No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.</p> |