

# FZU36LX

Product family Installation Category Reference width Reference height Cooling type Hinge Hinge position

Freezers Built-in One Door Higher than 80 Higher than 200 No-frost Door-to-door Left



### Aesthetic

Aesthetics	Classic	Handle	Fixed
Color	Stainless steel	Handle color	Stainless steel
Material	Stainless steel	Side material	Metal
Door stainless steel	Normal	Logo	Applied
type		Display	TFT
Handle	External	-	
Hanale	External		

## **Freezer features**

Freezer lighting Freezer lighting Number of drawers Yes Incandescent light 4

# **Other Freezer features**

lce maker

8 \* 0

Automatico


# Other technical features

T *** O			
Display functions	Holiday, Fast-freezing	Type of temperature	Electronic
Fast-freezing button	Yes	control	
Power-on light	Yes	No. of compressors	1
Temperature alarm light	Yes	Refrigerant gas type	R600a
Door-open alarm	Yes	Type of compressor	Inverter
•			



Temperature Alarm	Yes	Refrigerant quantity Foam agent	85 oz Cyclopentane	
Performance / Energy Label				
Total volume	150.6 gal	Climatic class	SN, N, ST, T	
Sum of the volumes of the frozen compartment(s)	150.6 gal			

# **Electrical Connection**





# Symbols glossary



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption. Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.

	k	*	6	
L	/	0	٢	1

9

No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



# Benefit (TT)

### **No-Forst Cooling System**

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

### Door-on-door Hinge

Fixed hinges, otherwise known as door-on-door hinges, directly connects the cabinet door to the appliance door

The cabinet door will not be attached to the rest of the cabinetry. Instead, it will be completely attached to the appliance door. Therefore, the appliance door will be bearing the weight of the cabinet door. This type of fitting is often sturdier than a sliding hinge fitting, and can give you a sleeker finish.

### TFT Display

The TFT display offers an intuitive and elegant interface, making operation simple and immediate with a premium touch

### Internal illumination

Interior lighting for perfect visibility of the drawers in the freezer compartment

### External Handle

The external handle ensures practicality and ease of use of the freezer

### R600a Refrigerant Gas

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

### Automatic Ice Maker

Automatic ice maker for ice always available when needed