

HTY511DAUS

Family	Dishwasher
Subfamily	Hoodtype dishwasher
Basket dimensions	500x500 mm
Panel	Ecoline 2016
Filter	5-stages filter system
Rinse pump H.T.R. system	Rinse pump with atmospheric boiler
Usable load height	440 mm
Power connection	400 V 3N~ / 16 A / 9,7 kW / 50 Hz
Product dimensions WxDxH	620x736x1530 mm



Distribution

Solutions	Bars/Cafes; Hotels; Restaurants/Catering; Butcher's shops; Schools; QSR
-----------	--

Aesthetics

Serie	Easyline	Led color	Red
Control panel	Electronic		

Functions



Functionality	GN 1/1 trays washing; 5-stage filter; SHR+; HTR; Door clearance 440mm
---------------	---

Programs

Program specifications	Boiler 85°C/Tank 60°C-1'30"; Boiler 85°C/Tank 60°C-2'30"; Boiler 85°C/Tank 60°C-4'
Drain and self cleaning cycle	Yes
Maximum basket/hour	40
Maximum dishes/hour	720

Interface

Display	4 digit	On/Off button	Yes
Number of buttons	5	Manual diagnostic	Yes

Construction

Tank Construction	Deep drawn Double wall	Hood	Double wall
Tank material	Stainless steel AISI 304	Tank capacity	14 l
Back panel	Prepainted	Boiler capacity	8 l
Tank filter	Stainless steel	Rumorosità	Lpa 59,9 dBA
Washing spray arm	Stainless steel	Protection class	IPX4
Rinse spray arm	Stainless steel	Net weight	115,000 kg
		Drain max. height	1000 mm

Technical Features

Tank heating element	2200 W	Water inlet	Cold 15°C
Boiler heating element	9000 W	Max temperature inlet water	60°C
Washing pump	700 W	Max water hardness	12°F - 7°dH
Default connection	9700 W	Water inlet	Cold 15°C
Water cycle consumption	2,7 l		

Electrical Connection

Electrical connection option	230 V~ / 29 A / 6,7 kW / 50 Hz; 400 V 3N~ / 13 A / 6,7 kW / 50 Hz
------------------------------	---

Equipments

Peristaltic detergent doser	Yes, electronic control	Cycle counter	Yes
Peristaltic rinse-aid doser	Yes, electronic control	Break tank	Yes
Default chemicals dosing unit of measure	gr/lt	Partial renewal of water in the tank and built-in drain pump	Si
Boiler thermostat	Yes default ON	Trays washing option GN1/1 530x325mm	Yes
Soft Start	Yes	Water supply pipe diameter	16 mm
Automatic start	Yes, default OFF	Drain supply pipe diameter	21,5 mm
Detergent load	Yes, manual	Peristaltic detergent doser	Yes, manual
Rinse load	Yes, manual	Peristaltic detergent doser	Yes, manual

Accessories Included

Dish basket	PB50D01	Water supply pipe	In acciaio Watermark
Cutlery basket	PHOOS02	Drain pipe	Yes - 2m
Flat basket	1x PB50G02		

Not included accessories



WH00S01

Wire insert for 12 small dishes




PHOOS01

Single basket in polypropylene for cutlery



WB50G01

Universal wire basket with flat bottom
500x500



PB50D01

Basket made of polypropylene for 18
plates 500x500



WB50G02

Wire basket for glasses with inclined
bottom 500x500



WB50G04

Wire basket for glasses with inclined
bottom 500x500



PHOOS02

Basket in polypropylene for cutlery with
6 compartments



WB50D01

Wire basket for 18 dishes and trays
500X500



WB50G03

Wire basket for glasses with inclined
bottom 500x500

Symbols glossary (TT)



...



...



...



...



5 STAGE FILTER