

# HTY625DEH

<b>Product Family</b>	Dishwasher
<b>Subfamily</b>	Hoodtype dishwasher
<b>Basket dimensions</b>	600x500 and 500x500 mm
<b>Rinse pump</b>	HTR system
<b>SHR system</b>	Yes



## Accessories Included

<b>Plate basket</b>	PB60D01	<b>Water supply pipe</b>	Yes - 2m
<b>Cutlery basket</b>	PHOOS03	<b>Drain pipe</b>	Yes - 2m
<b>Flat basket</b>	PB60G01		

## Target

<b>Potential users</b>	Restaurants/Catering; Industrial pastry&bakery laboratories; Butcher's shops; Meat processing industry; Hospitals; Schools
------------------------	--

## Programmes

<b>Programs</b>	13 automatic programs; 1 fully programmable program; Self-cleaning programs; Cold water rinse program
<b>Program options</b>	Extra rinse; Clean water cycle
<b>Program specifications</b>	Boiler 24°C/Tank 60°C-4'; Boiler 71°C/Tank 60°C-50"; Boiler 71°C/Tank 60°C-1'10"; Boiler 71°C/Tank 60°C- 2'10"; Boiler 85°C / Vasca 70°C - 45'20"; Boiler 85°C / Vasca 70°C - 50'20"; Boiler 85°C / Vasca 70°C - 7'10"; Boiler 85°C/Tank 60°C-1'10"; Boiler 85°C/Tank 60°C-2'; Boiler 85°C/Tank 60°C-2'30"
<b>Maximum baskets/hour</b>	72
<b>Maximum plates/hour</b>	1584

## Interface

<b>Display</b>	TFT	<b>Cycle progress indicator</b>	Yes
<b>On/off indicator</b>	Yes	<b>End of cycle indicator</b>	Yes
<b>Low rinse aid alert</b>	Yes	<b>Manual diagnostics</b>	Yes
<b>Low detergent alert</b>	Yes		

## Construction

<b>Tank</b>	Deep drawn	<b>Filter</b>	5-stages filter system
<b>Construction</b>	Double wall	<b>Wash tank capacity</b>	22 l
<b>Tank material</b>	Stainless steel AISI 304	<b>Boiler capacity</b>	8 l
<b>Back panel</b>	Galvanised	<b>Protection class</b>	IPX4
<b>Upper washing system</b>	One washing and one split rinse spray arms, stainless steel	<b>Adjustable feet</b>	Yes
		<b>Drain max. height</b>	1000 mm
<b>Tank filter</b>	Stainless steel		
<b>Hood</b>	Double skinned		

## Technical Features

<b>Trays washing option</b>	Yes	<b>Max water hardness</b>	12°f - 7°dH
<b>Tank heating element power</b>	2200 W	<b>Water inlet pressure</b>	1-6 bar / 100-600 kPa
<b>Boiler heating element power</b>	9000 W	<b>Detergent flow rate</b>	1.5 l/h
<b>Washing pump power</b>	730 W	<b>Rinse aid flow rate</b>	0.4 l/h
<b>Default connection</b>	9730 W	<b>Usable load height</b>	420 mm
<b>Water consumption per cycle</b>	3,2 l	<b>Maximum height with hood open</b>	2040 mm
<b>Warm water connection</b>	Cold 15°C	<b>Dimensions</b>	716x835x1520 mm
<b>Inlet water maximum temperature</b>	60°C		


## Electrical Connection

<b>Default power supply</b>	400 V 3N~ / 16 A / 9,7 kW / 50 Hz	<b>Electrical connection options</b>	230 V~ / 31 A / 7,0 kW / 50 Hz
-----------------------------	-----------------------------------	--------------------------------------	--------------------------------

## Equipment

<b>Drain pump</b>	Yes	<b>Automatic start</b>	Yes
<b>DHR system</b>	Yes	<b>Cycle counter</b>	Yes
<b>Peristaltic detergent pump</b>	Yes, electronic control	<b>Break tank</b>	Yes
<b>Peristaltic rinse aid pump</b>	Yes, electronic control		

<b>Chemical level probe</b>	Yes, optional KITSONLIV	<b>Partial water exchange in the wash tank via built-in drain pump</b>	Yes
<b>Chemical dosing</b>	gr/lt		
<b>Boiler thermostat</b>	Yes - default		
<b>Soft Start</b>	Yes	<b>Water supply pipe diameter</b>	16 mm
<b>Stand-by system</b>	Yes	<b>Drain supply pipe diameter</b>	21.5 mm
		<b>Detergent (red) hose length</b>	Yes, manual
		<b>Rinse aid (blue) hose length</b>	Yes, manual




## Not included accessories



**WT51200SL8**  
Entry table left side 1200mm



**WT51200SHR8**  
Entry table right side 1200mm



**PB60T02**  
Basket for trays GN1/1 600x500




**KITSONLIV**  
Probe level kit



**WT5700SL8**  
Exit table left side 700mm




**WH00S01**  
Wire insert for 12 small dishes



**WB60T03**  
Wire basket for 5 trays 600x500



**PHOOS01**  
Single basket in polypropylene for cutlery



**PB50G02**  
Universal basket in polypropylene 500x500



**WTX6700L8**  
Exit table left side 700mm



**WTX51200L8**  
Exit table left side 1200mm



**PHOOS03**  
Basket in polypropylene with 6 compartments for cutlery for Capote



**PB60G01**  
Universal basket in polypropylene 600x500



**WTX61200L8**  
Exit table left side 1200mm



**WB60G01**  
Wire basket with flat bottom 600x500



**WT51200SHL8**  
Entry table left side 1200mm



**WB60D02**  
Wire basket for 24 dishes 600x500



**WT51200SR8**  
Exit table right side 1200mm



**WB50G01**

Universal wire basket with flat bottom  
500x500




**WTX5700R8**

Exit table right side 700mm



**WTX61200R8**

Exit table right side 1200mm



**PB50D01**

Basket made of polypylene for 18  
plates 500x500




**WB50G02**

Wire basket for glasses with inclined  
bottom 500x500



**WTX51200R8**

Exit table right side 1200mm




**WB60D01**

Wire basket for 24 dishes 600X500



**PB50G01**

Universal basket in polypropylene  
500x500



**WB50G04**

Wire basket for glasses with inclined  
bottom 500x500



**WTX5700L8**

Exit table left side 700mm



**WT5700SR8**

Exit table right side 700mm



**PB60D01**

Basket in polypropylene for 22 dishes  
600x500



**PHOOS02**

Basket in polypropylene for cutlery with  
6 compartments



**WB50D01**

Wire basket for 18 dishes and trays  
500X500